23ESB105MMF50AF ACTIVE

Citec

TE Internal #: 1624215-2

Potentiometers, .4W Power Rating, Wire Product Terminates To, Panel Mount, 25.2 x 20.4 mm, 20 Passive Component Tolerance,

 $1M\Omega$ Resistance Value

View on TE.com >



Passive Components > Resistors > Potentiometers



Power Rating: .4 W

Product Terminates To: Wire

Product Mount Type: Panel Mount

Passive Component Dimensions: 25.2 x 20.4 mm

Passive Component Tolerance: 20 %

Features

Product Type Features

Element Type	Carbon Film
Sealing Requirement	Not Sealed
Rotary Turn Type	Single Turn

Configuration Features

Number of Turns	1
Sections	Single
Adjustment Location	Side
Adjustment Method	Spindle

Electrical Characteristics

Power Rating	.4 W
Passive Component Tolerance	20 %
Resistance Value	1Μ Ω
Resistance Class	$1k\Omega - 1M\Omega$

Body Features

Shaft Style	Flatted
Product Orientation	Right Angle

Termination Features

Product Terminates To	Wire	
-----------------------	------	--



Mechanical Attachment

Product Mount Type	Panel Mount
Dimensions	
Passive Component Dimensions	25.2 x 20.4 mm
Shaft Size	6.35 x 50 mm

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Customers Also Bought



TE Part #1623763-2 23E 100KA 6.35X50FL B7 CAT




TE Part #1-480303-0 03P CMNL PLUG HSG F/H NATL



TE Part #1624163-2 23E 470KB 6.35X50FL B7 CAT



TE Part #1624204-2 23SE 1MA 6.35X50FL B7 CAT



TE Part #1624209-2 23SE 4K7A 6.35X50FL B7 CAT



TE Part #1624154-2 23E 1MB 6.35X50FL B7 CAT



TE Part #826955-2 2P MOD2 STIFT LEI







Documents

Potentiometers, .4W Power Rating, Wire Product Terminates To, Panel Mount, 25.2 x 20.4 mm, 20 Passive Component Tolerance, $1M\Omega$ Resistance Value



Product Drawings

23SE 1MB 6.35X50FL B7 DPST (4A)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1624215-2_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1624215-2_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1624215-2_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1309350_PASSIVE_COMPONENT

English

Spindle Operated Potentiometers - Type 23 series - Tyco Electronics Passives

English