Alcoswitch

TE Internal #: 6-1437624-8 Switch Knobs, Knob, Molded Phenolic Resin, Ribbed Knob Design, . 125in [3.17mm] Shaft Size, .74in [18.8mm] Switch Knob Diameter, Black, Line

View on TE.com >

Relays, Contactors & Switches > Switches > Switch Knobs



Switch Knob Product Type: Knob Switch Knob Material: Molded Phenolic Resin

Knob Design: Ribbed

Shaft Size: 3.17 mm [.125 in]

Switch Knob Diameter: 18.8 mm [.74 in]

Features

Product Type Features

Switch Knob Product Type

Knob

Configuration Features

Skirt

Without



Spinner	Without
Spin Plate	Without
Knob Design	Ribbed
Body Features	
Switch Knob Material	Molded Phenolic Resin
Switch Knob Color	Black
Dimensions	
Shaft Size	3.17 mm[.125 in]
Switch Knob Diameter	18.8 mm[.74 in]
Identification Marking	
Indicator Style	Line
Indicator Location	Top & Side
Other	
Comment	Top spun aluminum inlay

Switch Knobs, Knob, Molded Phenolic Resin, Ribbed Knob Design, .125in [3.17mm] Shaft Size, .74in [18.8mm] Switch Knob Diameter, Black, Line



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought

Switch Knobs, Knob, Molded Phenolic Resin, Ribbed Knob Design, .125in [3.17mm] Shaft Size, .74in [18.8mm] Switch Knob Diameter, Black, Line







TE Part #1SNA165113R1600 M4/6.P



TE Part #1625980-6 HSX25 R22 5%

Documents

Product Drawings PKG70B1/8=KNOB PLASTIC 1/8 LEX

English

CAD Files Customer View Model ENG_CVM_6-1437624-8_A.3d_igs.zip English Customer View Model ENG_CVM_6-1437624-8_A.3d_stp.zip English Customer View Model ENG_CVM_6-1437624-8_A.2d_dxf.zip English

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

Switch Knobs, Knob, Molded Phenolic Resin, Ribbed Knob Design, .125in [3.17mm] Shaft Size, .74in [18.8mm] Switch Knob Diameter, Black, Line



SWITCHES_CORE_PROGRAM_CATALOG

English