

AMPLIMITE

TE Internal #: 1757821-4 Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Pin, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline

View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Plug Connector System: Cable-to-Cable Number of Positions: 37 Power/Signal/Coax Combination: No D-Sub Shell Size: 4

Features

Product Type Features

Product Type	Connector
Connector & Housing Type	Plug
Connector System	Cable-to-Cable



D-Sub Shell Size	4
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Blindmate	No
Configuration Features	
Number of Positions	37
Power/Signal/Coax Combination	No
Body Features	
Box Mount D-Sub Connector Insert Arrangement	MS18276-1
Retention Clip Material	Stainless Steel
Shell Plating Material	Zinc
Shell Material	Steel
Non-Magnetic	No
Contact Features	
Contact Type	Pin

1757821-4

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Pin, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline



Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Alloy
D-Sub Contact Size	20
Contact Current Rating (Max)	7.5 A
Mechanical Attachment	
Mounting Hole Diameter	2.31 mm[.091 in]
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
ULTRA-LITE Connector	No
Circuit Application	Signal
Industry Standards	
NASA Qualification	No
Packaging Features	
Packaging Method	Package

Other

Comment

"Z" is stamped on connectors following
M24308 part number as required. "Z"
designates zinc shell plating.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2019 (197) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content

1757821-4

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Pin, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline



Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



1757821-4

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Pin, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline





Documents

Product Drawings AMPLIMITE,ASY,PLUG,FB,109,ZN,4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1757821-4_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1757821-4_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1757821-4_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals UL Report

English