
TE Internal #: 2227302-1 SFP/SFP+/zSFP+, Cage, Data Rate (Max) 4 Gb/s, External Springs, SFP, Port Matrix Configuration 1 x 1, Through Hole - Press-Fit, 1 Port, Cable-to-Board

View on TE.com >





Connectors > Pluggable IO Connectors & Cages > SFP/SFP+/zSFP+











Pluggable I/O Product Type: Cage

Data Rate (Max): 4 Gb/s

EMI Containment Feature Type: External Springs

Pluggable I/O Applications: SFP

Included Lightpipe: No

Features

Product Type Features

Form Factor	SFP
Cage Type	Single
Pluggable I/O Product Type	Cage
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	

Port Matrix Configuration	1 x 1
Number of Ports	1

Electrical Characteristics

Data Rate (Max)	4 Gb/s	

Termination Features

Mechanical Attachment



PCB Mounting Style	Through Hole - Press-Fit
Connector Mounting Type	Board Mount
Housing Features	
Cage Material	Stainless Steel
Dimensions	
Tail Length	3 mm[.118 in]
PCB Thickness (Recommended)	1.5 mm[.059 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Heat Sink Compatible	No
For Use With Pluggable I/O Products	SFP SMT Connector
Pluggable I/O Applications	SFP
Packaging Features	
Packaging Method	Box & Tray, Box
Other	
EMI Containment Feature Type	External Springs
Included Lightpipe	No
Comment	11 Press-Fit Tails

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-SF59-C76264 SFP Connectors



TE Part # 1888901-1 SFP+ EMI Plug



TE Part # 1367147-1 SFP COVER, UNPLATED



TE Part # 1761394-1
DUST COVER, SFP, GANGED &
STACKED



TE Part # 2215077-3 ASSY, SEATING TOOL, SFP



SFP COVER, UNPL, NO LOGO

Customers Also Bought




















Documents

Product Drawings

CAGE ASSY, PRESS FIT, SFP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2227302-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2227302-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2227302-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_2227302-1_022720191133_dmtec

English

MD_2227302-1_022720191133_dmtec

English