

DEUTSCH | DEUTSCH CTJ

TE Internal #: CTJ-3A-10-4021 DEUTSCH CTJ, Terminal Junction Modules, Black Annodized Rail Assembly, Operating Temperature Range -65 – 175 °C View on TE.com >



Connectors > Terminal Junction Modules & Accessories > Terminal Junction Modules



Terminal Junction System Component Type: Black Annodized Rail Assembly

Operating Temperature Range: -65 – 175 °C

Features

Product Type Features

Terminal Junction System Component Type

Usage Conditions

Operating Temperature Range

Black Annodized Rail Assembly

-65 – 175 °C

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (1.2% in Contact Lead-Copper Alloy) Atile Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

CTJ-3A-10-4021

DEUTSCH CTJ, Terminal Junction Modules, Black Annodized Rail Assembly, Operating Temperature Range -65 – 175 °C



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Also in the Series DEUTSCH CTJ



Customers Also Bought



TE Part #323915 PIDG RING TONGUE TERMINALS	TE Part #1986711-4 SCREWLESS, SW,4P,5.0 PCB	TE Part #217675-000 55PC0811-22-5LL-CS2502	TE Part #208008-1 D-Sub Plug Assembly: Vertical, Shell Size 3, 2.74mm
			TE
TE Part #YDTS26W15-97SNV001 D38999: Straight Plug, 15-97 Insert	TE Part #1616029-3 B233P=RELAY	TE Part #290583-000 44A7422-4-1L	TE Part #2-1616109-0 A718AP=REVERSE CURRENT RELAY



Documents

CTJ-3A-10-4021

DEUTSCH CTJ, Terminal Junction Modules, Black Annodized Rail Assembly, Operating Temperature Range -65 – 175 °C



Product Drawings RAIL ASSY English **CAD** Files 3D PDF 3D Customer View Model ENG_CVM_CVM_CTJ-3A-10-4021_99.2d_dxf.zip English Customer View Model ENG_CVM_CVM_CTJ-3A-10-4021_99.3d_igs.zip English Customer View Model ENG_CVM_CVM_CTJ-3A-10-4021_99.3d_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use. Datasheets & Catalog Pages

Products for Aerospace and Defense

English