81665-3 ✔ ACTIVE

AMP | AMP CPC

TE Internal #: 81665-3

AMP CPC, Circular Connector Seals, Flange Seal, Panel Mount, Operating Temperature Range -55 – 105 °C [-67 – 221 °F]

View on TE.com >

Connectors > Circular Connectors > Circular Connector Accessories > Circular Connector Seals > CPC SEALED ACCESSORIES



Connector Seal Type: **Flange Seal**

Connector Mounting Type: **Panel Mount**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

All CPC SEALED ACCESSORIES (5)

Features

Product Type Features

Connector Seal Type	Flange Seal

Body Features

Color	Black

Mechanical Attachment

Connector Mounting Type	Panel Mount

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211)

	Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # CAT-AM71-C83998Y
CPC SERIES 1 SEALED ONE-PIECE

TE Part # CAT-AM71-C83998K
CPC SERIES 6

Also in the Series | AMP CPC

Circular Connector Adapters(7)

Circular Connector Boots & Strain Relief(6)

Circular Connector Caps & Covers(16)

Circular Connector Hardware(3)

Circular Connector Keying Plugs(2)



Circular Connector Seals(36)

Circular Power Connectors(513)

Insertion & Extraction Tools(1)



Power Contacts(5)

Sealing Sleeves(2)

Unscreened Circular Connector Backshells & Clamps(56)

Customers Also Bought

TE Part #206061-2
CPC SERIES 6



TE Part #2-1609989-5
CORCOM BCF SERIES 3-PHASE FILTERS

TE Part #207446-3
CPC SEALED ACCESSORIES

TE Part #206358-5
CPC CABLE CLAMPS

TE Part #207489-1
FLEXIBLE CABLE BOOT, SIZE 11

TE Part #207490-1
CABLE GRIPPER, SIZE 11

TE Part #206903-2
SEALING CAP ASSY,SZ 11,CPC



TE Part #200821-1
CMNL KEYING PLUG

TE Part #AFD50-12-3SN-6117
RECP ASSY

Documents

Product Drawings

ECONOSEAL, FLANGE GASKET

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_81665-3_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_81665-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_81665-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

Product Specifications

Application Specification

English