532782-1 ✔ ACTIVE

AMP-HDI

TE Internal #: 532782-1

PCB Connector Keying, Keying Insert, Operating Temperature Range -55 – 105 °C [-67 – 221 °F]

View on TE.com >

Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying







Connector Keying Accessory Type: **Keying Insert**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector Keying Accessory Type	Keying Insert

Body Features

Primary Product Material	Stainless Steel

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211)

	Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 533082-1
HDI KEY/PWR PIN UNPLTD


Customers Also Bought



TE Part #3-5646547-0
Hard Metric Backplane Receptacle Connector: Mezzanine, 2mm



TE Part #1-1617127-3
JMSC-5XL = M39016/11-033L




TE Part #1-532431-9
HDI RECP ASSY 3 ROW 252 POS



TE Part #1-2102430-2
Skt Assy, 320, LF, 30 AU, 18mm, Mezalok




TE Part #3-1617108-1
PRMAC-18Y = PRMA COTS TO-5 REL



TE Part #1617074-4
3SBC5004K1R = RELAY



TE Part #1-534267-4
06 MODIV VRT DR OE 100/125



TE Part #360373-000
22759/43-18-3



TE Part #868235-2
LGH 1/2 SING END SHIELD LEAD



TE Part #3-1617108-4
PRMAC-26Y= PRMA COTS TO-5 RELA

Documents

Product Drawings

HDI GUIDE/KEYING INSERT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_532782-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_532782-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_532782-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Application Specification

English