174670-1 ✔ ACTIVE

MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 174670-1


Mini-Universal MATE-N-LOK, Rectangular Connector Keying Plugs, Keying Plug, Operating Temperature Range -55 – 105 °C [-67 – 221 °F]

View on TE.com >

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Keying Plugs







Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Product Type	Accessory
Connector Keying Accessory Type	Keying Plug

Body Features

Color	Natural

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Bag
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 1-770988-1
MINI UMNL SOK 22-18AWG LP LF



TE Part # 1-770987-0
MINI UMNL PIN 22-18 AWG AU LP



TE Part # 1-770988-0
MINI UMNL SOK 22-18AWG AU



TE Part # 1-794059-0
MINI UMNL PIN L/P LF



TE Part # 1-794058-0
MINI UMNL SOK L/P LF



TE Part # 794058-3
MINI UMNL SOK L/P



TE Part # 1-770985-0
MINI UMNL PIN 26-22AWG AU LP



TE Part # 770986-1
MINI UMNL SOK 26-22AWG SN LP



TE Part # 1-770986-0
MINI UMNL SOK 26-22AWG AU LP



TE Part # 794059-3
MINI UMNL PIN L/P


Also in the Series | Mini-Universal MATE-N-LOK



Connector Contacts(11)



Insertion & Extraction Tools(1)



Power Contacts(85)



Rectangular Backshells & Clamps(2)



Rectangular Boots & Strain Relief(2)



Rectangular Connector Keying Plugs(2)



Rectangular Connector Locking(1)



Rectangular Connector Seals(18)



Rectangular Power Connectors(285)



Wire-to-Board Headers & Receptacles (1)

Customers Also Bought




TE Part #1-487378-2
2.54mm FFC Connectors Receptacle Housing



TE Part #1-770901-0
MINI UMNL PIN 26-22 AWG AU LF




TE Part #1-770902-0
MINI UMNL SOK 26-22 AWG AU



TE Part #1-104481-1
SHORT POINT CONT 30 DPLX STMPD LF



TE Part #1-1623933-9
CFR50 5% 3K9



TE Part #C97865-000
HX-SCE LOW FIRE HAZARD SLEEVES



TE Part #1-2217206-6
Blade, Slug



TE Part #1-456405-3
CRIMPER WIRE .080 F



TE Part #1-1586359-0
10P MINIUMNL GANG WIRE SEAL DR



TE Part #1-455888-6
SPACER, CRIMPER(075)

Documents

Product Drawings

KEYING PLUG MINI U-M-N-L

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_174670-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_174670-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_174670-1_A.2d_dxf.zip

English

3D PDF

English

Customer View Model

ENG_CVM_CVM_174670-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_174670-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_174670-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

Product Environmental Compliance

MD_174670-1_060520181158_dmtec

English

MD_174670-1_060520181158_dmtec

English