1717268-2 ✔ ACTIVE



Positive Lock | Positive Lock 250


TE Internal #: 1717268-2

Positive Lock 250, Insulation Boots & Sleeves, Insulation Sleeve, Flag, PVC, Yellow, Bag, Accepts Terminal Style Receptacle, Wire /Cable, 1 Position

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves

Insulation Boot & Sleeve Product Type: **Insulation Sleeve**

Insulation Boot & Sleeve Terminal Orientation: **Flag**

Insulation Boot & Sleeve Material: **PVC**

Insulation Boot & Sleeve Color: **Yellow**

Insulation Boot & Sleeve Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Sleeve
Insulation Boot & Sleeve Applies To	Wire/Cable
Insulated	Yes

Configuration Features

Number of Insulation Boot & Sleeve Positions	1

Body Features

Insulation Boot & Sleeve Material	PVC
Insulation Boot & Sleeve Color	Yellow

Contact Features

Insulation Boot & Sleeve Terminal Orientation	Flag
Accepts Terminal Style	Receptacle

Housing Features

Housing Material	Soft PVC

Usage Conditions

Operating Temperature Range	-40 – 60 °C[-40 – 140 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1000
Insulation Boot & Sleeve Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 175057-1
250 PL EX FLAG REC. 18-12AWG PTBR

Also in the Series | Positive Lock 250



Automotive Terminals(1)




Crimp Terminal Housings(203)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(6)



Quick Disconnects(189)

Customers Also Bought

TE Part #1-1318120-3
DYNAMIC 2000 REC AND TAB HSG

TE Part #1565084-1
STD Temp GRACE INERTIA Plug

TE Part #1-353293-2
MINI CT MT REC ASSY 12P GRAY

TE Part #DT04-2P-CE03
DEUTSCH DT Series Housings & Connectors



TE Part #1-1565749-2
SIGNAL HEADER



TE Part #1318305-1
TH/.025 CONNECTOR SYSTEM, HOUSING



TE Part #1-936556-1
HIGH PIN COUNT HEADER



TE Part #1-172131-1
FF 250 REC HSG 3P NYLON NAT



TE Part #1-172132-1
FF 250 PLUG HSG 3P NYLON NAT



TE Part #1376689-1
11DIA SQUIB SLIM LOCK BUTTON

Documents

Product Drawings

PL EX 250 INSULATED FLAG REC PVC V-0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1717268-2_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1717268-2_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1717268-2_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Environmental Compliance

TE Material Declaration

English