1326941-1 ✔ ACTIVE

Get .64 Connector System

TE Internal #: 1326941-1

Get .64 Connector System, Automotive Connector Caps & Covers, Cover - Cable Exit, With, Black, PA GF, Wire-to-Board / Wire-to-Device

View on TE.com >

Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Strain Relief: **With**

Primary Product Color: **Black**

Primary Product Material: **PA GF**

Connector System: **Wire-to-Board, Wire-to-Device**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit
Connector System	Wire-to-Board, Wire-to-Device

Body Features

Primary Product Color	Black
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	With

Dimensions

Cable Bundle Diameter	9 mm[.354 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C, -40 – 125 °C[-40 – 257 °F][-40 – 257 °F]

Industry Standards

UL Flammability Rating	UL 94HB

Packaging Features

Packaging Quantity	1300
Packaging Method	Package

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-G3353-CH8172
GET .64 CONNECTOR SYSTEM, CONNECTOR HSG

Also in the Series | Get .64 Connector System



Automotive Connector Caps & Covers (7)



Automotive Headers(2)



Automotive Housings(121)



Automotive Terminals(29)



Insertion & Extraction Tools(1)

Customers Also Bought



TE Part #1326030-9
1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB



TE Part #2272431-2
GET .64 CONNECTOR SYSTEM, CONNECTOR HSG



TE Part #505319P402
Single Wall RNF-100 Spool HS Tubing



TE Part #184373-1
CONTACT, RECEPTACLE, .070 TYPE



TE Part #1326122-1
52WAY LAC "SINGLE GEAR" SHIELD



TE Part #1488208-1
0.64MM PIN CONTACT, CRIMP, 18-



TE Part #1924141-7
Shield, 26P GenY, Hand Mate Conn



TE Part #2109258-4
MCON 1.2 CAVITY PLUG FOR 0.75MM



TE Part #1452480-1
2 WAY JACK CONN. 8MM PITCH

Documents

Product Drawings

1 X 6 WIRE DRESS COVER

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1326941-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_1326941-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_1326941-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.