



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal & Splice Type: **Receptacle**
Mating Tab Width: **1 mm [.039 in]**
Mating Tab Thickness: **.64 mm [.025 in]**
Terminal Transmits: **0 – 24 A (Low Power)**
Wire Size: **.22 – .35 mm²**

[All GET .64 Connector System, Recept and Tab \(29\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body
Automotive Terminal Wire Type	Copper

Contact Features

Typical Current Rating	9 A
Crimp Type	F-Crimp
Terminal & Splice Type	Receptacle
Mating Tab Width	1 mm[.039 in]
Mating Tab Thickness	.64 mm[.025 in]
Automotive Terminal Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)

Termination Features

Automotive Terminal Termination Method	Crimp
--	-------

Dimensions

Wire Size	.22 – .35 mm ²
-----------	---------------------------



Wire Size Search	22 AWG, 23 AWG
Wire Insulation Diameter	1.2 – 1.4 mm[.043 – .065 in]

Usage Conditions

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C, -40 – 125 °C[-40 – 125 °F]

Packaging Features

Packaging Method	Reel
Packaging Quantity	10000

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>





EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 2305570-1 TERMINAL CUTTER, SIDE FEED	 TE Part # CAT-G3353-CH8172 GET .64 CONNECTOR SYSTEM, CONNECTOR HSG	 TE Part # CAT-G3353-T273 GET .64 CONNECTOR SYSTEM, RECEPT AND TAB	 TE Part # CAT-M8793-CH8172 MQS, CONNECTOR HOUSING
 TE Part # 2151540-1 OCEAN_2.0_APPLICATOR-S-055F0700	 TE Part # 1411001-6 SEALED HARN ASSY W CPA KEY B	 TE Part # 2203663-6 2X9 SEALED PLUG ASSY KEY B	 TE Part # 1-1419168-1 MARKET 1X6 FEMALE SEALED
 TE Part # 1452842-3 22 POS FEMALE HSG ASSY	 TE Part # 1411001-7 2x4 SEALED HARN ASSY W/O CPA	 TE Part # 2-2151540-1 OCEAN_2.0_APPLICATOR-S-055F0700	 TE Part # 2-2151540-2 OCEAN_2.0_APPLICATOR-S-055F0700
 TE Part # 2151540-2 OCEAN_2.0_APPLICATOR-S-055F0700	 TE Part # 2272006-1 Plug Assembly, 20P GET, w/o CPA	 TE Part # 7-2151540-1 OCEAN_2.0_APPLICATOR-S-055F0700	 TE Part # 7-2151540-2 OCEAN_2.0_APPLICATOR-S-055F0700
 KIT TE Part # 7-2151540-7 OCEAN_2.0_SPARE_PART_KIT-055F0700	 TE Part # 1924639-2 1X8 FEMALE ASSY KEY D, LP LATC	 TE Part # 3-2151540-2 OCEAN_2.0_APPLICATOR-S-055F0700	

Also in the Series | [Get .64 Connector System](#)



Automotive Connector Caps & Covers (7)



Automotive Headers(2)



Automotive Housings(121)



Automotive Terminals(29)



Insertion & Extraction Tools(1)

Customers Also Bought




TE Part #1-1419158-7
GET .64 CONNECTOR SYSTEM,
CONNECTOR HSG




TE Part #1-1718346-1
MQS, CONNECTOR HOUSING




TE Part #1-1419158-6
GET .64 CONNECTOR SYSTEM,
RECEPT AND TAB



TE Part #1-1627087-0
RECEPTACLE, FLAG QC 4.8x0.8
(H25411)



TE Part #1355881-1
MQS GRIFFSCHALE 6P



TE Part #967067-2
MQS EINZELLEITDICHT



TE Part #1-2208021-1
22POS,0.64 GENER. Y,REC HSG,ASSY



TE Part #1-2280624-1
FOAM PAD BELT BACKUP SET

Documents

Product Drawings

V23540X7000Y 11=GET-FEM TERM S

English

V23540X7000Y 11=GET-FEM TERM S

English

CAD Files

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_1393367-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1393367-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1393367-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

Product Specifications

[Application Specification](#)

German

[Application Specification](#)

English

[Application Specification](#)

English

Product Environmental Compliance

[MD_1393367-1_07032017952_dmtec](#)

English

[MD_1393367-1_07032017952_dmtec](#)

English

Instruction Sheets

[UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR](#)

Japanese

[Instruction Sheet \(non U.S.\)](#)

Japanese