520933-1 ✔ ACTIVE

Positive Lock | Positive Lock 187

TE Internal #: 520933-1

Positive Lock 187, Crimp Terminal Housings, Receptacle, Receptacle, 2 Position, Straight, UL 94V-2, Natural Crimp Terminal Housing Housing Color

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings






Terminal & Splice Type: **Receptacle**

Housing Type: **Receptacle**

Number of Crimp Terminal Housing Positions: **2**

Crimp Terminal Housing Terminal Orientation: **Straight**

Crimp Terminal Housing UL Flammability Rating: **UL 94V-2**

Features

Product Type Features

Product Type	Terminal Housing
Terminates To	Wire & Cable
Connector System	Wire-to-Board, Wire-to-Wire
Housing Type	Receptacle
Sealable	No
Insulated	No

Configuration Features

Number of Crimp Terminal Housing Positions	2

Body Features

Crimp Terminal Housing Housing Color	Natural
Crimp Terminal Housing Mating Retention	With
Crimp Terminal Housing Mating Alignment	With

Contact Features

Terminal & Splice Type	Receptacle

Crimp Terminal Housing Terminal Orientation	Straight

Mechanical Attachment

Mating Alignment Type	Polarization
Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)

Housing Features

Crimp Terminal Housing Housing Material	Nylon

Dimensions

Length	23.19 mm[.913 in]
Crimp Terminal Housing Centerline	14 mm[.551 in]

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Industry Standards

Crimp Terminal Housing UL Flammability Rating	UL 94V-2

Packaging Features

Packaging Quantity	1
Crimp Terminal Housing Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 170326-1
187 PL MKII REC. 18-14AWG PTBR



TE Part # 170325-1
187 PL MKII REC. 20-16AWG PTBR

TE Part # 170324-1
187 PL MKII REC. 24-20AWG PTBR

Also in the Series | Positive Lock 187




Crimp Terminal Housings(87)



Insertion & Extraction Tools(2)



Insulation Boots & Sleeves(9)



Quick Disconnects(56)

Customers Also Bought



TE Part #2288140-1
MQS, RECEPTACLE AND TAB



TE Part #2301461-2
MCON, CONNECTOR HOUSING



TE Part #3-2109441-9
AMP MCP, SEALED CONNECTOR HOUSING



TE Part #1488541-1
40P MOVING ALIGNMENT PLATE



TE Part #1924955-5
CONTACT,FEMALE0.64,0.13SQMM, UN



TE Part #2266776-1
OCEAN_2.0_APPLICATOR-S-042F



TE Part #2836484-1
OCEAN-2.0-APPLICATOR-S-070F100O



TE Part #2837686-1
OCEAN-2.0-APPLICATOR-S-055F059O

TE Part #EH9009-000
ES2000-NO.0-O9-0-65MM

TE Part #1438911-2
JACK KIT, UNASSEM, 1 POS, W /BODY CLIP, R

Documents

Product Drawings

POSITIVE LOCK 187 HOUSING NYLON 6/6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_520933-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_520933-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_520933-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English