794615-2 ✔ ACTIVE

MATE-N-LOK | Micro MATE-N-LOK

TE Internal #: 794615-2

Micro MATE-N-LOK, Rectangular Power Connectors, Housing, Plug, Wire-to-Panel / Wire-to-Wire, 2 Position, 3mm [.118in] Centerline, Wire & Cable

View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors







Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Plug**

Connector System: **Wire-to-Panel, Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **3 mm [.118 in]**

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	2

Electrical Characteristics

Operating Voltage	250 VDC

Contact Features

Contact Retention Within Housing	Without
Contact Type	Tab

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Strain Relief	Without
Mating Alignment Type	Polarization
Mating Alignment	With
Panel Mount Feature	With
Panel Mount Feature Type	Locking Latch
Connector Mounting Type	Panel Mount
Mating Retention	With
Mating Retention Type	Locking Tab

Housing Features

Centerline (Pitch)	3 mm[.118 in]
Housing Color	Black
Housing Material	Nylon

Dimensions

Insulation Diameter (Max)	1.52 mm[.06 in]
Row-to-Row Spacing	3 mm[.118 in]
Panel Thickness	1.57 – 2.3 mm[.062 – .091 in]
Height	8.71 mm
Length	3.85 mm

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Operation/Application

Circuit Application	Power & Signal

Industry Standards

CSA Rating	Certified
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Agency/Standard	CSA
UL Rating	Recognized
CSA File Number	LR7189

VDE Tested	Yes

Packaging Features

Packaging Method	Bag
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 794617-2
2POS,MICRO MNL,RCPT HSG



TE Part # 1-2029078-0
10P MICRO MNL PLUG,PAN MNT,NAT


Also in the Series | Micro MATE-N-LOK



Connector Contacts(1)



Insertion & Extraction Tools(1)




Power Contacts(26)



Rectangular Power Connectors(712)

Customers Also Bought



TE Part #1-305183-1
EXTRACT TOOL MATE-N-LOK P



TE Part #1-794612-0
PIN CONT 20-24 TIN PLATE L/P




TE Part #1-794612-2
PIN CONT 20-24 30 GOLD L/P




TE Part #1-794613-0
PIN CONT 26-30 TIN PLATE L/P



TE Part #1445048-3
PANEL MT SNGL ROW HSG 3 POS



TE Part #104505-7
MTE PIN LP



TE Part #1-643075-4
Nylon PCB Connector Covers: 2.54 mm, MTA 100



TE Part #1-794612-1
PIN CONT 20-24 15 GOLD L/P



TE Part #1445048-4
PANEL MT SNGL ROW HSG 4 POS



TE Part #91502-1
CCII MICRO MNL REC 30-26 ASSY

Documents

Product Drawings

PANEL MT DBL ROW HSG 2 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_794615-2_C1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_794615-2_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_794615-2_C1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

1773458-4_MICRO_MATE_N_LOK_CONNECTOR_SYSTEM_QRG

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_794615-2_02242017335_dmtec

English

MD_794615-2_02242017335_dmtec

English