

Positive Lock | Positive Lock 250

TE Internal #: 953043-1

Positive Lock 250, Crimp Terminal Housings, Receptacle,

Receptacle, 3 Position, Straight, Black Crimp Terminal Housing

Housing Color, Polyamide

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings











Terminal & Splice Type: Receptacle

Housing Type: Receptacle

Number of Crimp Terminal Housing Positions: 3

Crimp Terminal Housing Terminal Orientation: Straight

Crimp Terminal Housing Housing Color: Black

Features

Product Type Features

Product Type	Terminal Housing
Housing Type	Receptacle
Sealable	No
Insulated	No

Configuration Features

Body Features

Crimp Terminal Housing Housing Color	Black
Crimp Terminal Housing Mating Retention	With
Crimp Terminal Housing Mating Alignment	With

Contact Features

Terminal & Splice Type	Receptacle
Crimp Terminal Housing Terminal Orientation	Straight



Mechanical Attachment

Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)
Housing Features	
Crimp Terminal Housing Housing Material	Polyamide
Dimensions	
Crimp Terminal Housing Centerline	5 mm[.196 in]
Usage Conditions	
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]
Packaging Features	
Crimp Terminal Housing Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # 281852-2 PL 250 REC HSG 4P NYLON BLACK



TE Part # 142680-1
PL MK III 2 POS HOUSING BROEN
RAL 8016



TE Part # 281734-2
POSITIVE LOCK 312 HOUSING
RECEPTACLE



TE Part # 142680-9
PL 187 REC HSG 2P NYLON WHITE



TE Part # 1-926522-1
PL 250 REC HSG 2P NYLON BLACK



TE Part # 142680 POSITIVE LOCK (PL) HOUSING



TE Part # 142680-4
PL MK III 2 POS HOUSING YELLOW
RAL 1016



TE Part # 142681 HOUSING POS-LOCK MK III 3 P BLACK



TE Part # 142681-1
PL MK III 3 POS HOUSING BROEN



Also in the Series | Positive Lock 250



Automotive Terminals(1)




Crimp Terminal Housings(203)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(6)





Customers Also Bought









Documents

Product Drawings

PL LOCKING LEVER 3P HOUSING PA6.6 NOIR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_953043-1_F_c-953043-1-f.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

POSITIVE LOCK 3 VOIES MARK III A LEVIER DE VERROUILLAGE REF. 953043-1

English

Product Specification

English

Instruction Sheets

PRECONISATION DE CONTROLE DES CONNECTEURS POS. LOCK MARK III

English

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

English