



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



SolderSleeve Shield Terminator Operating Temperature (Max): 150 °C

SolderSleeve Shield Terminator Expanded Inside Diameter (Min): 5.97 mm [.235 in]

SolderSleeve Shield Terminator Recovered Inside Diameter (Max): 3.3 mm [.13 in]

Pre-Installed Lead: No

Resistance Properties: Immersion Protection

Features

Configuration Features

Pre-Installed Lead	No
--------------------	----

Dimensions

SolderSleeve Shield Terminator Expanded Inside Diameter (Min)	5.97 mm[.235 in]
SolderSleeve Shield Terminator Recovered Inside Diameter (Max)	3.3 mm[.13 in]

Usage Conditions

SolderSleeve Shield Terminator Operating Temperature (Max)	150 °C
Resistance Properties	Immersion Protection
Wire Temperature (Max)	150 °C

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (37% in Solder) <small>Article Safe Usage Statements:</small>



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CJ2087-000
HL2010E-KIT-120V

Customers Also Bought

 TE Part #320553 PIDG RING TONGUE TERMINALS	 TE Part #0567590001 TMS-SCE MILITARY GRADE SLEEVES	 TE Part #205558-2 AMPLIMITE,ASY,PLUG,STD,109,2	 TE Part #2562-201-2031L CONT SOC ASSY
 TE Part #38943-16L CONT SOC ASSY	 TE Part #201357-3 MALE BLOCK - 34 PL. SER. "M"	 TE Part #1616034-3 D25BD (FAA/PMA)=RELAY	 TE Part #109858-000 D-181-1222-90/9



TE Part #118577-000
[S01-05-R](#)

TE Part #ZPF000000000202596
[787-8016-00](#)

Documents

Product Drawings

[S01-04-R](#)

English

Datasheets & Catalog Pages

[1654025_Sec8_B-155_CWT_SO63_S01to03_SO96](#)

English

[Raychem Electrical Interconnect Products](#)

English