# 591841-1 ✓ ACTIVE

#### **AMP**

TE Internal #: 591841-1


Junction Splices, Dual Splice, Compatible With Contact Size 20, Wire-to-Wire, 2 Position, 3.3mm [.13in] Centerline, Sealable, Wire &

Cable

View on TE.com >



Connectors > Terminal Junction Modules & Accessories > Junction Splices



Junction Splice Type: Dual

Compatible With Contact Size: 20
Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 3.3 mm [ .13 in ]

### **Features**

#### **Product Type Features**

Product Type Features	
Diode Circuit Number	1N5618
Product Type	Terminal Junction System Component
Terminal Junction System Component Type	Electronic Splice-Diode
Junction Splice Type	Dual
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	2
Electrical Characteristics	
Diode Voltage Rating	600 V
Diode Current Rating	1 A
Body Features	
Grommet Color	Red
Grommet Material	Fluorosilicone Rubber, Silicone Rubber

Gold per MIL-G-45204, Gold

Copper

**Contact Features** 

Contact Base Material

Contact Mating Area Plating Material



Compatible With Contact Size	20
Contact Current Rating (Max)	1 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	3.3 mm[.13 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (1% in Grommet) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



## Customers Also Bought





















## **Documents**

**Product Drawings** 

TJ DBL W SPLICE 20E-1

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_591841-1\_H.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_591841-1\_H.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_591841-1\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Junction Splices, Dual Splice, Compatible With Contact Size 20, Wire-to-Wire, 2 Position, 3.3mm [.13in] Centerline, Sealable, Wire & Cable



Datasheets & Catalog Pages

Products for Aerospace and Defense

English