




Wire Protection & Management > Adhesives & Sealants > Epoxy Adhesives



Epoxy Packaging Method: **Roll**
Epoxy Packaging Quantity: **1**
Heat Resistance Temperature (Max): **200 °C**

Features

Product Type Features

Product Type	Adhesive Tape
System	300

Body Features

Color (Supplied)	Black
Color (Cured)	Black

Usage Conditions

Heat Resistance Temperature (Max)	200 °C
-----------------------------------	--------

Packaging Features

Epoxy Packaging Method	Roll
Epoxy Packaging Quantity	1

Other

Curing Method	150 °C for 50 min
Comment	1-Part Epoxy Tape

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	







Current ECHA Candidate List: JAN 2021
(211)
Candidate List Declared Against: JAN 2021
(211)
Does not contain REACH SVHC

Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-R21-73107237 Heat Shrink Boots: Lipped, Straight	 TE Part # CAT-R21-7310723 Low Profile Heat Shrink Boots: Poly Molded, Lipped, Straight	 TE Part # CAT-R21-731072 Bulbous Heat Shrink Boots: Lipped, Straight	 TE Part # CAT-R21-731055 Low Profile Heat Shrink Boots: Poly Mold, Lipped, Right Angle
 TE Part # 811032-000 382A012-12-0	 TE Part # 342759-000 202W312-12-0	 TE Part # 307569-000 202W302-12-0	 TE Part # CAT-R21-73106549 Bulbous Heat Shrink Boots: Lipped, Right Angle



TE Part # CAT-R21-56701
Convolute Heat Shrink Uni Boots:
Lipped, Straight




TE Part # CAT-R21-7310654
Heat Shrink Boots: Non Lipped, Right
Angle




TE Part # CAT-R21-731
Heat Shrink Boots: Non Lipped,
Straight




TE Part # CAT-R21-567014
Low Profile HS Boots: Blow Molded,
Slim Line, Lipped, Straight



TE Part # CAT-R21-7310554
Heat Shrink Boots: Lipped, Right Angle



TE Part # CAT-R21-73105
Heat Shrink Boots: Micro Molded,
Lipped, Right Angle




TE Part # CAT-R21-73106
Feedthrough Heat Shrink Boots: Non
Lipped, Straight




TE Part # CAT-R21-731065
Rectangular Heat Shrink Boots: Non
Lipped, Straight




TE Part # CAT-R21-731055422
Heat Shrink Boots: Poly Mold, Lipped



TE Part # 821012-000
382A023-12-0




TE Part # 923758-000
362A024-12-0



TE Part # 821029-000
342A124-12-0

Customers Also Bought



TE Part #095226-000
S1030-TAPE-3/4X33FT



TE Part #138517-000
44AM1121-16-9/96-9CS2275



TE Part #ZPF000000000200286
983-6SE 08-06 SN




TE Part #184192-1
3 POS. CAP HSG., KEY A



TE Part #173659-000
202C653-51-0-CS5325



TE Part #0818-202-2401
FOLLOWER, BACKSHL



TE Part #203367-000
202M210-19B



TE Part #157395-000
381A301-51-0-CS5327



Documents

Product Drawings

S1255-04-3/4X100FT

English

Datasheets & Catalog Pages

Adhesives Selection Guide

English

Product Specifications

Thermofit Adhesive S-1255-04 Flex Fluid Resistant, High Temperature, One Part-Flexible Epoxy

English

Product Environmental Compliance

Safety Datasheet

German

Safety Datasheet

English

Safety Datasheet

English

Safety Datasheet

English

Safety Datasheet

Safety Datasheet

French

Safety Datasheet

Safety Datasheet

Japanese

Safety Datasheet