TMS-SCE-5K-1/8-2.0-S1-4 - ACTIVE

TE Internal #: 2861530001 Printable Tubing, Ladder Printable Tubing Type, Military Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore View on TE.com >



Identification & Labeling > Printable Tubing



Printable Tubing Type: Ladder
Printable Tubing Grade: Military
Printable Tubing Shrink Ratio: 3:1
Primary Product Color: Yellow
Number of Prescores: 1

Features

Product Type Features

Printable Tubing Type	Ladder	
Printable Tubing Grade	Military	
Body Features		
Printable Tubing Shrink Ratio	3:1	

Primary Product Color	Yellow
Markers per Sleeve	2
Dimensions	
Product Length	12.7 mm[.5 in]
Supplied Inner Diameter	3.18 mm[.125 in]
Recovered Inside Diameter	1.59 mm[.063 in]
Compatible Cable Diameter Range	1.11 – 2.66 mm[.044 – .105 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Operation/Application	
Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer/Label Features	
Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer

C For support call+1 800 522 6752

TMS-SCE-5K-1/8-2.0-S1-4

Printable Tubing, Ladder Printable Tubing Type, Military Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore



Number of Prescores

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

1

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TMS-SCE-5K-1/8-2.0-S1-4

Printable Tubing, Ladder Printable Tubing Type, Military Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore





Customers Also Bought



PR5

EET-5176P-9	205 FASTON,REC.,22-18 AWG,TPBR	EET-0920P-9
Rephere ACAU 20:50		
TE Part #136592-000 XCSM-30/8-1000/S(S10)	TE Part #1SNA194836R0100 BAMH	

Documents

Product Drawings TMS-SCE-5K-1/8-2.0-S1-4

English

Instruction Sheets Instruction Sheet (non U.S.) English