ATUM-24/8-X-STK SUPERSEDED

TE Internal #: 4155462009 TE Internal Description: ATUM-24/8-X-STK Dual Wall Heat Shrink Tubing: Stick View on TE.com >





All Dual Wall Heat Shrink Tubing: Stick (3)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed

Halogen Content

Not Yet Reviewed for halogen content


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought

ATUM-24/8-X-STK







TE Part #1986186-1 Strain Relief,20 Posn,D3000 Dynamic, 2

Documents

Datasheets & Catalog Pages ATUM Pages from 9-1773447-9 English Application Tooling for Raychem Heat Shrink Product English High Expansion Ratio, Adhesive-Lined Heat-Shrinkable Tubing English Measuring_Single_Wall_Tubing English Selecting_Correct_Tubing English Product Specifications Quality Specification