

Kilovac

TE Internal #: 4-1618002-4 High Voltage Relays, 28 – 1800kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form A, SPST-NO, Flying Leads, Stud Terminals

View on TE.com >

Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: 28 – 1800 kVDC

High Voltage Relay Contact Arrangement: 1 Form A, SPST-NO

High Voltage Connection (Coil): Flying Leads

High Voltage Connection (Power): Stud Terminals

Economizer: With

Features

Product Type Features

| RF Rated | No |
|--------------|--------------|
| Product Type | Relay |
| Relay Туре | High Voltage |



Configuration Features

| Economizer | With | | | | |
|--|-------------------|--|--|--|--|
| Power Switching | Yes | | | | |
| Electrical Characteristics | | | | | |
| Contact Voltage Rating | 28 – 1800 kVDC | | | | |
| High Voltage Relay Voltage (Max) | 320 VDC | | | | |
| High Voltage Relay Coil Voltage Rating | 12 VDC | | | | |
| High Voltage Relay Coil Resistance | 18 Ω | | | | |
| High Voltage Relay Contact Switching Voltage (Max) | 1800 | | | | |
| Contact Features | | | | | |
| High Voltage Relay Contact Arrangement | 1 Form A, SPST-NO | | | | |
| Auxiliary Contacts | Without | | | | |
| High Voltage Relay Contact Current Rating | 600 A | | | | |
| Contact Base Material | Copper | | | | |
| Termination Features | | | | | |

C For support call+1 800 522 6752

EV500-4A

High Voltage Relays, 28 – 1800kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form A, SPST-NO, Flying Leads, Stud Terminals



| High Voltage Connection (Coil) | Flying Leads |
|---|---|
| High Voltage Connection (Power) | Stud Terminals |
| Termination Style | Stud Terminals |
| Mechanical Attachment | |
| High Voltage Relay Mounting Type | Bottom |
| Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | Not Compliant |
| EU ELV Directive 2000/53/EC | |
| EU ELV DITECTIVE 2000/33/EC | Not Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not applicable for solder process capability |
| | |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

EV500-4A


High Voltage Relays, 28 – 1800kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form A, SPST-NO, Flying Leads, Stud Terminals





TE Part # 1618002-7 EV200AAANA=RELAY, EV200 SPST-N

Customers Also Bought



| CORCOM J SERIES MULTI- FUNCTION INLET FIL | 983-7SE 10-06 PN-L | K300B5C5=CONTACTOR 300 AMP SPST NO DB | TAPER PIN |
|---|---|--|-----------|
| E TE | | | |
| TE Part #5-104186-6 10 SYS 50 HDR SRRA UNSHRD SN | TE Part #66205-2 TAPER PIN 53 SERIES | | |

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1618002-4_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-1618002-4_E.3d_igs.zip

English

EV500-4A

High Voltage Relays, 28 – 1800kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form A, SPST-NO, Flying Leads, Stud Terminals



Customer View Model ENG_CVM_CVM_4-1618002-4_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 5-1773450-5_sec7_EV500

English