
CGPT-51/26-5-SP <

Raychem | Raychem CGPT TE Internal #: 4781474001 Raychem CGPT, Heat Shrink Tubing, Green, Single Wall Type, 51 Expanded Inside Diameter (Min) 2 Expanded Inside Diameter (Min) View on TE.com >



Heat Shrink Tubing > Single Wall CGPT Spool Heat Shrink Tubin



Primary Product Color: Green Wall Type: Single Expanded Inside Diameter (Min): 51 mm [2 in] Recovered Inside Diameter (Max): 26 mm [1 in] Shrink Ratio: 2:1

All Single Wall CGPT Spool Heat Shrink Tubin (186)

Features

Product Type Features

Product Family	CGPT
Wall Type	Single

Electrical Characteristics

Voltage (Max)	.6 kV
Body Features	
Fluid Type	Gasoline, Hydraulic Fluid, Lubricating Oil
Primary Product Color	Green
Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible
Dimensions	
Recovered Wall Thickness (Tolerance)	.25 mm[.01 in]
Recovered Wall Thickness (Nominal)	1.15 mm[.045 in]
Expanded Inside Diameter (Min)	51 mm[2 in]
Recovered Inside Diameter (Max)	26 mm[1 in]
Heat Shrink Tubing Size Range	26 – 51 mm[1 – 2 in]
Usage Conditions	

C For support call+1 800 522 6752

CGPT-51/26-5-SP

Raychem CGPT, Heat Shrink Tubing, Green, Single Wall Type, 51 Expanded Inside Diameter (Min) 2 Expanded Inside Diameter (Min)



Fluid Resistance	Splash Protection
Shrink Temperature (Min)	80 °C
Heat Shrink Tubing Flammability	Flame-Retardant
Operating Temperature Range	-40 – 135 °C
Heat Shrink Tubing Resistance	Fluids, Mechanical Damage, Strain
Recovery Temperature	120 °C
Product Availability	
Applicable Region	Asia, EMEA
Packaging Features	
Packaging Method	Spool
Other	
Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

CGPT-51/26-5-SP


Raychem CGPT, Heat Shrink Tubing, Green, Single Wall Type, 51 Expanded Inside Diameter (Min) 2 Expanded Inside Diameter (Min)



Also in the Series | Raychem CGPT



Customers Also Bought







Documents

Product Drawings CGPT-51/26-5-SP

English

Datasheets & Catalog Pages

CGPT-51/26-5-SP

Raychem CGPT, Heat Shrink Tubing, Green, Single Wall Type, 51 Expanded Inside Diameter (Min) 2 Expanded Inside Diameter (Min)



Application Tooling for Raychem Heat Shrink Product

English

CGPT Pages from 9-1773447-9

English

Product Specifications
Quality Specification

English