

Kilovac | Kilovac KC TE Internal #: 5-1618278-4 Kilovac KC, High Voltage Relays, 28kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form X, SPST-NO, Turret Terminals

View on TE.com >



Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: 28 kVDC High Voltage Relay Contact Arrangement: 1 Form X, SPST-NO High Voltage Connection (Coil): Turret Terminals High Voltage Connection (Power): Bifurcated Terminals Economizer: Without

Features

Product Type Features

RF Rated	Yes				
Product Type	Relay				
Relay Type	High Voltage				
Configuration Features					
Economizer	Without				
Power Switching	Yes				
Electrical Characteristics					
Contact Voltage Rating	28 kVDC				
High Voltage Relay Voltage (Max)	26.5 VDC				
High Voltage Relay Coil Voltage Rating	26.5 VDC				
High Voltage Relay Coil Resistance	120 Ω				
Contact Features					
High Voltage Relay Contact Arrangement	1 Form X, SPST-NO				
Auxiliary Contacts	Without				
High Voltage Relay Contact Current Rating	110 A				
Termination Features					
High Voltage Connection (Coil)	Turret Terminals				

KC-20

Kilovac KC, High Voltage Relays, 28kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form X, SPST-NO, Turret Terminals



High Voltage Connection (Power)	Bifurcated Terminals
Termination Style	Turret Terminals
Mechanical Attachment	
High Voltage Relay Mounting Type	Threaded
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

KC-20

Kilovac KC, High Voltage Relays, 28kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form X, SPST-NO, Turret Terminals









Also in the Series | Kilovac KC

KC-20

Kilovac KC, High Voltage Relays, 28kVDC Contact Voltage Rating, High Voltage Relay Contact Arrangement 1 Form X, SPST-NO, Turret Terminals





Customers Also Bought



LVDT HR-Z 500 ASSY	SCD 1250 1810 94	CONT SOC ASSY	3640 0201 3.7nH +/-0.2nH 1K RL
	ETE		
TE Part #7-1755074-3 7012AEMX=RLY,STD,ON,2P,120V, 200S,M,X	TE Part #3-1437572-8 TPCF11CGPC0=FLUSH PLUNGER PUSH		

Documents

Product Drawings KC-20=RELAY, VACUUM, SPST

English

Datasheets & Catalog Pages 5-1773450-5_sec7_KC-20_KC-30

English