# RPS-1K-10-2/2.0-S1-4 - ACTIVE

### RPS

TE Internal #: 6096530001 RPS, Printable Tubing, Ladder Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore

#### View on TE.com >



Identification & Labeling > Printable Tubing > RPS COMMERCIAL GRADE SLEEVES



Printable Tubing Type: Ladder
Printable Tubing Grade: Commercial
Printable Tubing Shrink Ratio: 3:1
Primary Product Color: Yellow
Number of Prescores: 1

#### All RPS COMMERCIAL GRADE SLEEVES (44)

### Features

#### Product Type Features

Printable Tubing Type

Ladder

Printable Tubing Grade	Commercial
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	Yellow
Markers per Sleeve	2
Dimensions	
Product Length	25 mm[1 in]
Supplied Inner Diameter	12.7 mm[.5 in]
Recovered Inside Diameter	4.2 mm[.166 in]
Compatible Cable Diameter Range	4.6 – 10.8 mm[.183 – .425 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix

## RPS-1K-10-2/2.0-S1-4

RPS, Printable Tubing, Ladder Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore



#### **Printer/Label Features**

Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer
Number of Prescores	1
Packaging Features	
Packaging Quantity	1000

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.

#### Solder Process Capability

#### Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

### RPS-1K-10-2/2.0-S1-4

RPS, Printable Tubing, Ladder Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore







# Also in the Series | RPS



# Customers Also Bought



### RPS-1K-10-2/2.0-S1-4

RPS, Printable Tubing, Ladder Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, Yellow, 1 Prescore





# Documents

# Product Drawings RPS-1K-10-2/2.0-S1-4

English

Datasheets & Catalog Pages

RPS Heat Shrinkable Sleeves

English

**IDENTIFICATION SELECTION GUIDE** 

English

**Product Specifications** 

RPS

English

**Instruction Sheets** 

#### Instruction Sheet (non U.S.)

English