
CGPT-6/2-6-SP <

Raychem | Raychem CGPT TE Internal #: 6902574001 Raychem CGPT, Heat Shrink Tubing, Blue, Single Wall Type, 6 Expanded Inside Diameter (Min) .236 Expanded Inside Diameter (Min)

View on TE.com >



Heat Shrink Tubing > Single Wall CGPT Spool Heat Shrink Tubin



Primary Product Color: Blue

Wall Type: Single

Expanded Inside Diameter (Min): 6 mm [.236 in]

Recovered Inside Diameter (Max): 2 mm [.079 in]

Shrink Ratio: 3:1

All Single Wall CGPT Spool Heat Shrink Tubin (186)

Features

Product Type Features

Product Family

Wall Type

CGPT

Single

Electrical Characteristics

Voltage (Max)	.6 kV	
Body Features		
Fluid Type	Gasoline, Hydraulic Fluid, Lubricating Oil	
Primary Product Color	Blue	
Shrink Ratio	3:1	
Primary Product Material	Irradiated Modified Polyolefin	
Flexibility	Flexible	
Dimensions		
Recovered Wall Thickness (Tolerance)	.12 mm[.005 in]	
Recovered Wall Thickness (Nominal)	.65 mm[.026 in]	
Expanded Inside Diameter (Min)	6 mm[.236 in]	
Recovered Inside Diameter (Max)	2 mm[.079 in]	
Heat Shrink Tubing Size Range	2 – 6 mm[.079 – .236 in]	

CGPT-6/2-6-SP

Raychem CGPT, Heat Shrink Tubing, Blue, Single Wall Type, 6 Expanded Inside Diameter (Min) .236 Expanded Inside Diameter (Min)



Usage Conditions

Fluid Resistance	Splash Protection
Shrink Temperature (Min)	80 °C
Heat Shrink Tubing Flammability	Flame-Retardant
Operating Temperature Range	-40 – 135 °C
Heat Shrink Tubing Resistance	Fluids, Mechanical Damage, Strain
Recovery Temperature	120 °C
Product Availability	
Applicable Region	Asia, EMEA
Packaging Features	
Packaging Method	Box
Other	
Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides


CGPT-6/2-6-SP

Raychem CGPT, Heat Shrink Tubing, Blue, Single Wall Type, 6 Expanded Inside Diameter (Min) .236 Expanded Inside Diameter (Min)




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Raychem CGPT



Customers Also Bought



			ANVIL REPRESENTATION
TE Part #2151123-2 OCEAN_2.0_APPLICATOR-S- 062F130OA	TE Part #2266434-1 OC-AT-S-FM-090F125O-096-1339	TE Part #2836520-1 OCEAN_2.0_APPLICATOR-S- 041F049O	TE Part #5-1633620-8 ANVIL, COMBINATION



Documents

Product Drawings CGPT-6/2-6-SP

English

C For support call+1 800 522 6752

CGPT-6/2-6-SP

Raychem CGPT, Heat Shrink Tubing, Blue, Single Wall Type, 6 Expanded Inside Diameter (Min) .236 Expanded Inside Diameter (Min)



Datasheets & Catalog Pages Application Tooling for Raychem Heat Shrink Product English CGPT Pages from 9-1773447-9 English Measuring_Single_Wall_Tubing English Selecting_Correct_Tubing English Product Specifications Quality Specification