## RPS-2.5K-16-10/2.0-S1-9 ACTIVE





TE Internal #: 7079550001

Printable Tubing, Ladder Printable Tubing Type, Commercial Printable Tubing Grade, 3:1 Printable Tubing Shrink Ratio, White, 1

Prescore

View on TE.com >



Identification & Labeling > Printable Tubing > RPS COMMERCIAL GRADE SLEEVES



Printable Tubing Type: Ladder

Printable Tubing Grade: Commercial Printable Tubing Shrink Ratio: 3:1 Primary Product Color: White Number of Prescores: 1

#### All RPS COMMERCIAL GRADE SLEEVES (44)

#### **Features**

### **Product Type Features**

Printable Tubing Type	Ladder
Printable Tubing Grade	Commercial
Body Features	
Printable Tubing Shrink Ratio	3:1
Primary Product Color	White
Markers per Sleeve	2
Dimensions	
Product Length	50 mm[2 in]
Supplied Inner Diameter	6.4 mm[.25 in]
Recovered Inside Diameter	2.11 mm[.083 in]
Compatible Cable Diameter Range	2.31 – 5.46 mm[.091 – .215 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

#### Printer/Label Features

Operation/Application

Recommended Ribbon

See TE Document 411-121005 the Printer

Product Ribbon Matrix



Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer
Number of Prescores	1
Packaging Features	
Packaging Quantity	2,500

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





TE Part # 1-2186500-1 T3212-PRINTER



TE Part # 1-2186502-1 T3224-PRINTER



TE Part # 1-2186503-1
T3224-SWARE-PRINTER



TE Part # CP8122-000 T6112DS-PRINTER



## Also in the Series | RPS




## Customers Also Bought



TE Part #1-745497-5 IDC D-Sub: Receptacle Assembly, Wire to Wire, Signal, 2.77 mm



TE Part #1-487378-5
2.54mm FFC Connectors Receptacle
Housing



TE Part #1-1658526-5 609-2630LF FEM SOCKT,LEAD FREE



TE Part #1-794617-4 14POS,MICRO MNL,RCPT HSG



TE Part #103653-5 06 MTE SHRD PIN HSG SR LATCH



TE Part #1445049-4
FREE HANG SNGL ROW HSG 4 POS



TE Part #1-794616-0 FREE HANG DBL ROW HSG 10 POS



07/30/2021 01:53PM | Page 3







### **Documents**

Product Drawings
RPS-2.5K-16-10/2.0-S1-9

English

Datasheets & Catalog Pages

**RPS Heat Shrinkable Sleeves** 

English

**Product Specifications** 

RPS

English

**Instruction Sheets** 

Instruction Sheet (non U.S.)

English