## V2-25.0-0-FSP-SM ✓ ACTIVE

### Raychem | Raychem Versafit V2

TE Internal #: 763665J001

Raychem Versafit V2, Heat Shrink Tubing, Black, Single Wall Type,

26.8 Expanded Inside Diameter (Min) 1.05 Expanded Inside

Diameter (Min)

View on TE.com >



#### Heat Shrink Tubing



Primary Product Color: Black

Wall Type: Single

Expanded Inside Diameter (Min): 26.8 mm [ 1.05 in ]

Recovered Inside Diameter (Max): 12.5 mm [ .492 in ]

Shrink Ratio: 2:1

#### **Features**

## **Product Type Features**

Product Family	V2
Wall Type	Single

#### **Electrical Characteristics**

Voltage (Max)	.6 kV	

### **Body Features**

Primary Product Color	Black
Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Very Flexible

#### **Dimensions**

Recovered Wall Thickness (Tolerance)	.89 mm[.035 in]
Expanded Inside Diameter (Min)	26.8 mm[1.05 in]
Recovered Inside Diameter (Max)	12.5 mm[.492 in]
Heat Shrink Tubing Size Range	12.5 – 26.8 mm[.492 – 1.05 in]

### **Usage Conditions**

Shrink Temperature (Min)	70 °C
Heat Shrink Tubing Flammability	Highly Flame-Retardant
Operating Temperature Range	-30 – 125 °C



Heat Shrink Tubing Resistance	Strain, Wrinkling
Recovery Temperature	90 °C
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Reel
Other	
Meets Low Outgassing Requirements	No
Product Source	China, US

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts






TE Part # CJ2087-000 HL2010E-KIT-120V



TE Part # EG1114-000 CV1981-ST-230V1600W-EU

# Also in the Series | Raychem Versafit V2




# Customers Also Bought



TE Part #160927-2 FF 250 REC 1.0-2.5MM2 TPBR

TE Part #046571J001

V2-18.0-0-FSP-SM



TE Part #174195-1 250 FASTON HSG.,REC.,1 POS, NATRUAL




TE Part #174932-2 MULTILOCK, CONNECTOR HOUSING



Connectors








TE Part #240345J001 V2-10.0-0-FSP-SM





V23234C0001X003-EV-144





## **Documents**

Datasheets & Catalog Pages

VERSAFIT V2 Pages from 9-1773447-9

English

Application Tooling for Raychem Heat Shrink Product

English

Highly Flame-Retardant, Low Recovery Temp., Metric-Sized Heat-Shrinkable Tubing

English

**Product Specifications** 

**Quality Specification** 

English