

## MEAS | MEAS 89 Series

TE Internal #: DP86-015D

TE Internal Description: 15 PSID MV DIFFERENTIAL PRESSURE

**SENSOR** 

MEDIA ISOLATED PRESSURE STOCK LIST

View on TE.com >



Sensors > Pressure Sensors > Media Isolated Pressure Sensors > MEDIA ISOLATED PRESSURE STOCK LIST



Pressure: [15 psi]

Media Isolated Pressure Sensor Type: Media Isolated mV Output Pressure Sensors

Media Isolated Pressure Sensor Style: Differential Media Isolated Pressure Sensor Supply Voltage: 5 V

Operating Temperature Range: -40 - 125 °C, -40 - 125 °C [ -40 - 257 °F, -40 - 257 °F]

## All MEDIA ISOLATED PRESSURE STOCK LIST (104)

## **Features**

Product Type Features	
Media Isolated Pressure Sensor Type	Media Isolated mV Output Pressure Sensors
Media Isolated Pressure Sensor Style	Differential
Configuration Features	
Pressure Port/Fitting	O- Ring Mount
Electrical Characteristics	
Supply Current	1.5 mA
Media Isolated Pressure Sensor Supply Voltage	5 V
Dimensions	
Dimensions	Dia 15.82 x 17.52 mm[Dia .622 x .69 in]
Usage Conditions	
Operating Temperature Range	-40 – 125 °C, -40 – 125 °C[-40 – 257 °F][-40 – 257 °F]
Operation/Application	

3X

15 psi

Proof Pressure Range



Media Isolated Pressure Sensor Package	O-Ring Mount
Other	
Non-Linearity	± .1 %

# **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




Also in the Series | MEAS 89 Series





# Customers Also Bought

















# **Documents**

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_DP86-015D\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DP86-015D\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DP86-015D\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

DP86

English

