



HLX

TE Internal #: EC7632-000

HLX, Printable Tags, Low Fire Hazard, Operating Temperature Range -40 – 105 °C [-40 – 221 °F], White

[View on TE.com >](#)

Identification & Labeling > Printable Tags > HLX LOW FIRE HAZARD MARKERS



Printable Tag Grade: **Low Fire Hazard**

Operating Temperature Range: **-40 – 105 °C [-40 – 221 °F]**

Primary Product Color: **White**

[All HLX LOW FIRE HAZARD MARKERS \(20\)](#)

Features

Product Type Features

Printable Tag Grade	Low Fire Hazard
---------------------	-----------------

Body Features

Primary Product Color	White
-----------------------	-------

Mechanical Attachment

Number of Tie-Wrap Holes	4
--------------------------	---

Dimensions

Tag Height	10.4 mm[.4 in]
Tag Length	70 mm[2.75 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Recommended Ribbon	See TE Document 411-121005 the Printer Product Ribbon Matrix
--------------------	--

Printer/Label Features

Recommended Printer	See TE Document 411-121005 the Printer Product Ribbon Matrix
Printer Technology	Thermal Transfer

Packaging Features



Packaging Quantity	1000
--------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2186500-1
T3212-PRINTER



TE Part # 1-2186502-1
T3224-PRINTER



TE Part # 1-2186503-1
T3224-SWARE-PRINTER




TE Part # 1-2186501-1
T3212-SWARE-PRINTER

Also in the Series | [HLX](#)



Customers Also Bought



Documents

Product Drawings
HLX104WE1TS050B

English

Datasheets & Catalog Pages
HLX Cable Markers

English

IDENTIFICATION SELECTION GUIDE

English



Product Specifications

CABLE MARKER INSTALLATION GUIDE

English

Specification for HLX LFH Cable Marker

English