



Sensors > Position Sensors > Potentiometric Sensors > Cable Actuated Position Sensors > CABLE ACTUATED POSITION STOCK LIST



Cable Actuated Position Sensor Product Type: **SP Series, String Pots**

Full Stroke Ranges: 101.6 – 1270 mm [4 – 50 in]

Output Signal: **Voltage Divider (Potentiometric)**

Cable Actuated Position Sensor Accuracy: **.25 % of FS**

Repeatability: **.02 % of FS**

[All CABLE ACTUATED POSITION STOCK LIST \(18\)](#)

Features

Product Type Features

Cable Actuated Position Sensor Product Type	SP Series, String Pots
---	------------------------

Signal Characteristics

Output Signal	Voltage Divider (Potentiometric)
---------------	----------------------------------

Body Features

Cable Actuated Position Sensor Housing Material	Polycarbonate + Stainless Mounting Bracket
---	--

Usage Conditions

Operating Temperature Range	-18 – 71 °C[0 – 160 °F]
-----------------------------	-------------------------

Operation/Application

Resolution	Continuous Analog mm
------------	----------------------

Industry Standards

IP Rating	IP51
Hazardous Area Approvals	No

Other

Full Stroke Ranges	101.6 – 1270 mm[4 – 50 in]
Cable Actuated Position Sensor Accuracy	.25 % of FS



Repeatability	.02 % of FS
Encoder Drive	No
Measuring Cable	Nylon-Coated Stainless Steel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | MEAS SP



Cable Actuated Position Sensors(26)

Customers Also Bought




TE Part #SPD-4-3
CABLE ACTUATED POSITION STOCK LIST



TE Part #1658610-1
IDC D-Sub: Receptacle Assembly, Low Profile, Signal, 2.77 mm



TE Part #1-1879071-9
Power Resistor: Aluminum Housed, 75 Watt



TE Part #1-1630019-5
Power Resistors: Aluminum Housed, HSA



TE Part #1625856-8
RH73 2A 50M 10% 100PPM



TE Part #165075
P.G. WIRE PIN 16-14



TE Part #165171
P.G. WIRE PIN 16-14



TE Part #1757820-9
AMPLIMITE,ASY,RCPT,STD,109,ZN,4, CT



TE Part #1-2176347-3
CRGCQ 2010 100R 1%



TE Part #04-1270-0024
CLWG-750-NC4

Documents

CAD Files

[3D PDF](#)

[3D](#)

Customer View Model

[ENG_CVM_CVM_SP2-4_1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_SP2-4_1.3d_igs.zip](#)



English

Customer View Model

[ENG_CVM_CVM_SP2-4_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SP2](#)

English