

#### **VOLTCRAFT - RELIABLE AND PRECISE. SINCE 1982.**

For more than 40 years, our product range has been dynamically adapting to the constant changes in the industry. We commit to offering first-class quality to our customers while delivering an excellent cost-performance ratio. This philosophy remains the cornerstone of Voltcraft's success.

 $\epsilon$ 

# **CR1220 BUTTON CELL LITHIUM**

Item No.:	Pcs per pack	
2616756	1	
3221594	5	
2441818	10	

#### **TECHNICAL DATA**


Type:	CR1220	
Classification:	Non-rechargeable	
Chemical system:	Lithium/Manganese Dioxide (Li/MnO <sub>2</sub> )	
Nominal voltage:	3.0 V	
Weight (approx.)	0.75 g	
Capacity:	40 mAh	
Loading:	62 kΩ (20 ±2 °C, < 75 % RH)	
Cut-off voltage:	1.2 V	
Operating conditions:	-18 to +50 °C, 55 ±20 % RH	
Storage conditions:	0 to +30 °C, 55 ±20 % RH	
Heavy metals:	No added mercury (Hg), Cadmium (Cd), or Lead (Pb)	
Compliant to:	2013/56/EU	
	1 11 11 11 11	

For performance and safety, observe the operating / storage conditions. Capacity varies depending on the applied load, temperature, and cut-off voltage.






## **DIMENSIONS (mm)**



Dimension	Min.	Max.
Ø	12.2	12.5
Н	1.8	2.0

### **DISCHARGE PERFORMANCE**



This is a publication by Conrad Electronic SE, Klaus-Conrad-Str. 1, D-92240 Hirschau (www.conrad.com). All rights including translation reserved. Reproduction by any method, e.g. photocopy, microfilming, or the capture in electronic data processing systems require the prior written approval by the editor. Reprinting, also in part, is prohibited. This publication represents the technical status at the time of printing.

Copyright 2025 by Conrad Electronic SE. \*24418

\*2441818 2616756 3221594\_v1\_0425\_02\_ds\_en