

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0638241200

Status:

Active

Overview:

Application Tooling


Description:

Unlocking Tool for CMC and CMX Receptacle Connector

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207121
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	884982688070
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.
Material Info	
Reference - Drawing Numbers	
Application Tooling Documents	ATS-638241200-001



EU ELV	
Not Reviewed	
EU RoHS	China RoHS
Not Reviewed	
REACH SVHC	
Not Reviewed	
Halogen-Free	
Status	
Not Reviewed	
For more information, please visit Contact US	
China ROHS	Not Reviewed
ELV	Not Reviewed
RoHS Phthalates	Not Reviewed

Search Parts in this Series

207121 Series

Use With

CMC-CMX Receptacle Connector Assemblies, 22 to 53 Way.

Application Tooling Description	FAQ Product #
.635mm, 1.50mm, 2.80mm, Power CMC Receptacle, 28 Circuits, Left Wire Output, Black Coding, Mat Sealed	643181011
.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Left Wire Output, Gray Coding, Mat Sealed	643181018
.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Left Wire Output, Brown Coding, Mat Sealed	643181019

.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Black Coding, Mat Sealed	<u>643183011</u>
.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Gray Coding, Mat Sealed	<u>643183018</u>
.635mm, 1.50mm, 2.80mm, Power CMC Connector, 28 Circuits, Right Wire Output, Brown Coding, Mat Sealed	<u>643183019</u>
CMC Wire Cap for 32 Circuits, CMC Receptacle Mat Sealed	<u>643191201</u>
.635mm, 1.50mm, 32 Circuits, Left Wire Output, Black Coding, Mat Sealed	<u>643191211</u>
.635mm, 1.50mm, 32 Circuits, Left Wire Output, Blue Coding, Mat Sealed	<u>643191216</u>
.635mm, 1.50mm, 32 Circuits, Left Wire Output, Gray Coding, Mat Sealed	<u>643191218</u>
.635mm, 1.50mm, 32 Circuits, Left Wire Output, Brown Coding, Mat Sealed	<u>643191219</u>
.635mm, 1.50mm, 24 Circuits, Left Wire Output, Black Coding, Mat Sealed, Row 1 Closed	<u>643192211</u>
.635mm, 1.50mm, 32 Circuits, Right Wire Output, Black Coding, Mat Sealed	<u>643193211</u>
.635mm, 1.50mm, 32 Circuits, Right Wire Output, Blue Coding, Mat Sealed	<u>643193216</u>
.635mm, 1.50mm, 32 Circuits, Right Wire Output, Gray Coding, Mat Sealed	<u>643193218</u>
.635mm, 1.50mm, CMC Receptacle,	<u>643193219</u>

32 Circuits, Right Wire Output, Brown Coding, Mat Sealed .635mm, 1.50mm,	<u>643194211</u>
CMC Receptacle, 24 Circuits, Right Wire Output, Black Coding, Mat Sealed, Row 1 Closed CMC Wire Cap	<u>643201301</u>
for 48 Circuits and 28 Circuits, CMC Receptacle Mat Sealed .635mm, 1.50mm,	<u>643201311</u>
CMC Receptacle, 48 Circuits, Left Wire Output, Black Coding, Mat Sealed .635mm, 1.50mm,	<u>643201315</u>
CMC Receptacle, 48 Circuits, Left Wire Output, Green Coding, Mat Sealed .635mm, 1.50mm,	<u>643201318</u>
CMC Receptacle, 48 Circuits, Left Wire Output, Gray Coding, Mat Sealed .635mm, 1.50mm,	<u>643201319</u>
CMC Receptacle, 48 Circuits, Left Wire Output, Brown Coding, Mat Sealed .635mm, 1.50mm,	<u>643202311</u>
CMC Receptacle, 36 Circuits, Left Wire Output, Black Coding, Mat Sealed, Row 1 Closed .635mm, 1.50mm,	<u>643202319</u>
CMC Receptacle, 36 Circuits, Left Wire Output, Brown Coding, Mat Sealed, Row 1 Closed .635mm, 1.50mm,	<u>643203311</u>
CMC Receptacle, 48 Circuits, Right Wire Output, Black Coding, Mat Sealed .635mm, 1.50mm,	<u>643203315</u>
CMC Receptacle, 48 Circuits, Right Wire Output, Green Coding, Mat Sealed .635mm, 1.50mm,	<u>643203318</u>
CMC Receptacle, 48 Circuits, Right Wire Output, Gray Coding, Mat Sealed .635mm, 1.50mm,	<u>643203319</u>
CMC Receptacle, 48 Circuits, Right	

Wire Output, Brown
Coding, Mat Sealed
.635mm, 1.50mm, [643204311](#)
CMC Receptacle,
36 Circuits, Right
Wire Output, Black
Coding, Mat Sealed,
Row 1 closed
.635mm, 1.50mm, [643204319](#)
CMC Receptacle,
36 Circuits, Right
Wire Output, Brown
Coding, Mat Sealed,
Row 1 closed
.635mm, 1.50mm, [643211011](#)
2.80mm, CMC
Receptacle, 53
Circuits, Left Wire
Output, Black
Coding, Mat Sealed
Pwr CMC Rcpt 53Ckt[643211015](#)
L grn mat seal
.635mm, 1.50mm, [643211018](#)
2.80mm, CMC
Receptacle, 53
Circuits, Left Wire
Output, Gray Coding,
Mat Sealed
.635mm, 1.50mm, [643211019](#)
2.80mm, CMC
Receptacle, 53
Circuits, Left Wire
Output, Brown
Coding, Mat Sealed
CMC Wire Cap for [643211101](#)
53 Circuits, CMC
Receptacle Mat
Sealed
.635mm, 1.50mm, [643212011](#)
2.80mm, CMC
Receptacle, 53
Circuits, Right
Wire Output, Black
Coding, Mat Sealed
Pwr CMC Rcpt 53Ckt[643212015](#)
R grn mat seal
.635mm, 1.50mm, [643212018](#)
2.80mm, CMC
Receptacle, 53
Circuits, Right Wire
Output, Gray Coding,
Mat Sealed
.635mm, 1.50mm, [643212019](#)
2.80mm, CMC
Receptacle, 53
Circuits, Right Wire
Output, Brown
Coding, Mat Sealed

This document was generated on 07/29/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION