

Revision: 01.03.2021



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 1.7 (replaces version 1.6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Boss Fluid AVKP Blue

Article number: Krug & Priester Artikel-Nummern: 9000 621; 9005 896; 9005 786; 9000 622

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cutting oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Boss Lubricants GmbH & Co. KG

Chemnitzer Str. 15 72458 Albstadt

Germany

Tel.: +49(0)74 31 - 70 18 18 - 0

Fax: +49(0)74 31 - 70 18 18 - 19

msds@boss-oil.de

Further information obtainable from: Product safety department

1.4 Emergency telephone number:

Boss Helpline: +49(0)74 31 - 70 18 18 - 0 during the ordinary opening hours (Mo-Fr, 9.00 am - 4.00 pm)

UK (England, Scotland, Wales): Poison Information Centre, Tel. 111

UK (Northern Ireland): contact your local GP

Ireland: NPI Centre 353 (1) 809 2166 (8 am - 10 pm, 7 d/week). Healthcare Profs: 353 (1) 809 2566 (24/7)

SECTION 2: Hazards identification

2.1 Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: This substance is neither persistent, bioaccumulative nor toxic (PBT).

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Preparation

Description:

Mixture of mineral oil and harmless additives.

Not classified as a dangerous preparation according to Directive 1272/2008/EC (GHS).

Dangerous components:

CAS: 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

EINECS: 276-738-4

50-<100%

(Contd. on page 2)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

(Contd. of page 1)

Additional information:

The mineral oils in this product contain < 3% DMSO extract (IP346). For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Personal protection for the First Aider.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Generally the product does not irritate the skin.

Wash contaminated skin with water and soap and rinse thoroughly. Remove contaminated clothing. Get medical attention if symptoms occur.

After eye contact:

Rinse opened eye for several minutes under running water. Remove contact lenses, continue rinsing. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic/irritant gases is possible during heating or in case of fire.

Products of decomposition see chapter 10.

5.3 Advice for firefighters suitable fire suppressants: carbon dioxide (CO2), foam, water, dry chemical **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep away unprotected persons.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Keep away from open flames, hot surfaces and sources of ignition.

Avoid contact with skin and eyes.

Do not inhale vapours and aerosols.

Close leakage without taking personal risks.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

(Contd. of page 2)

In case of seepage into the ground inform responsible authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent longer or repeated contact with skin.

Prevent contact with eyes.

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Particular danger of slipping on leaked/spilled product.

Keep away from food, drink and animal feeding stuffs.

Wash hands before brakes and at end of work

Do not eat, drink or smoke while working.

Information about fire - and explosion protection:

Keep away ignition sources - Do not smoke.

Do not spray onto a naked flame or any incandescent material.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from food, beverage and feedingstuff.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 10 - flammable liquid, flashpoint >60°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: TWA: 5 mg/m³ (oil mist)

Additional information: The lists that were valid during the creation were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

General protective and hygienic measures:

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

(Contd. on page 4)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

(Contd. of page 3)

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter A/P2

Hand protection

If used properly, no protective gloves are required. Avoid skin contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Use solvent/hydrocarbon resistant gloves. Suitable are gloves from: nitrile rubber (thickness >0,38 mm, breakthrough time > 480 min), fluorocarbon rubber (thickness >0,38 mm, breakthrough time > 480 min).

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side protection (EN 166).

Body protection: Protective work clothing (EN 14605)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:Light blueOdour:OdourlessOdour threshold:Not determined.Melting point/freezing point:Not determined.

Boiling point or initial boiling point and boiling

range > 200 °C
Flammability Not applicable.
Flash point: > 180 °C
Ignition temperature: Not determined.
Decomposition temperature: Not determined.

Viscosity:

Kinematic viscosity at 40 °C 30 mm²/s

Solubility

water: Not miscible.

Partition coefficient n-octanol/water (log value) Not determined.

Density and/or relative density

Density at 20 °C: 0.85 g/cm^3

9.2 Other information

Appearance:

Form: Fluid Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising properties Non oxidising.

(Contd. on page 5)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

		(Contd. of page 4)
Information with regard to physical hazard of	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under recommended storage conditions.
- 10.2 Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid

Heat, flames and sparks.

Keep away from strong oxidizing agents.

10.5 Incompatible materials: strong oxidants

10.6 Hazardous decomposition products:

In case of fire:

 CO_2 , CO, NO_x , SO_x

Under certain conditions of fire, other toxic/irritant substances may form.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC5	0 valu	es relevant for classification:
Oral	LD50	>5,000 mg/kg (calculation)

Dermal LD50 >5,000 mg/kg (calculation)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

(Contd. of page 5)

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information (about experimental toxicology):

Eye contact: Slight irritation possible, but not relevant to classification.

Inhalation: Inhalation of oil mist can provoke irritations, head ache, nausea and dyspnoea.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

LC50 >1,000 mg/l (fish) (96 h)

EC50 >1,000 mg/kg (Daphnia magna) (48 h)

IC50 >1,000 mg/l (algae) (72 h)

12.2 Persistence and degradability biodegradable

- 12.3 Bioaccumulative potential Product is not bioaccumulative.
- 12.4 Mobility in soil After release, adsorbs onto soil.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects Does not get into sewage at intended use.

Other information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation





Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

Printing date 08.11.2022 Version number 1.7 (replaces version 1.6) Revision: 01.03.2021

Trade name: Boss Fluid AVKP Blue

		Contd. of page
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
Transport/Additional information:		
IMDG		
Limited quantities (LQ)	not any	
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

 $\textbf{\textit{Contact:}} \ msds@boss-oil.de$

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative