

Data sheet

Keystone REGplus IP20 light gray unequipped

Page 1/5

P/N

1309428103-E

EAN 4250184161516


2021/03/17

Version: N

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- unequipped termination unit for mounting on TH35 rail to DIN EN 60715
- for one individual module in Keystone design
- variable cable feed 45° from the top or bottom,
- plug direction 45° downwards
- width of 1HP allows mounting up to 12 REG in standard electrical distribution panels
- when mounted as a device of protection class I, the equipotential bonding is realized directly over the rail by means of an integrated equipotential plate. Special measures have to be taken to integrate the rail in the equipotential bonding of the building.
- a cover protects the device against direct contact. If mounted in distributor panels with protective insulation, protection class II is guaranteed. In this case, it is necessary to remove the equipotential bonding plate.
- integrated dust protection cover (also colored)
- suitable modules for cable access 45° from the top: C6_Amodul K 180°, E-DAT modul coupler 180°, UTP modul Cat.5e und Cat.6, suitable modules for cable access 45° from the bottom: C6_Amodul K 270°
- not suitable for modules in Modul design and C6_Amodul K 90°!



P | Cabling

Data sheet

Page 2/5

Keystone REGplus IP20 light gray unequipped

P/N

1309428103-E

EAN 4250184161516

2021/03/17

Version: N

Technical Data

General Data

Fields of application	Office
Design	wall outlet
Mounting style	Standard rail TH35
Color	light gray
Dimensions	
Dimension (L x W x H)	60 mm x 17.5 mm x 60 mm
Dimension (L x W x H)	2.362 in. x 0.689 in. x 2.362 in.
Horizontal pitch	1HP
Labeling option	label window with identification label
Marking option	by dust protection

Connections/interfaces

Number of ports interface 2	1
Number of ports interface 2 equipped	0
Number of ports with dust protection interface 2	1
Module plug-in direction	45° downwards
Cable access/outlet	variable, 45° from the top or bottom

Mechanical data

Cut-out	Keystone
---------	----------

Materials and material properties

Material - Cover part(s)	PA66
Material - Lower housing	PA66
Material - Label window	ABS, transparent
Material - Dust protection	ABS
RoHS	compliant
REACH - substance (SVHC)	none

Environmental conditions

Particulate ingress	IP2X
Liquid ingress/immersion	IPX0



P | Cabling

Data sheet

Page 3/5

Keystone REGplus IP20 light gray unequipped

P/N

1309428103-E

EAN 4250184161516

2021/03/17

Version: N

Technical Data

Approvals

UL listed (file no.)	DUXR.E178484
----------------------	--------------

Classifications

ETIM 5.0	EC001024
----------	----------

ETIM 6.0	EC001024
----------	----------

ETIM 7.0	EC001024
----------	----------

Packing details

Type of packaging	10 pc(s) / box
-------------------	----------------

Packaging unit - Weight (gram)	286 g
--------------------------------	-------

Packaging unit - Weight (pound)	0.63 lb
---------------------------------	---------

Packaging dimension	235 mm x 165 mm x 135 mm
---------------------	--------------------------

Packaging dimension	9.252 in. x 6.496 in. x 5.315 in.
---------------------	-----------------------------------

P | Cabling

Data sheet

Page 4/5

Keystone REGplus IP20 light gray unequipped

P/N

1309428103-E

EAN 4250184161516

2021/03/17

Version: N

Accessories

P/N	Designation
130898-0103KI	COAX modul F jack / F jack, Keystone
130910KI	E-DAT modul Cat.6 _A K jack - Keystone style
1309A0-I	E-DAT modul Coupler 8(8) 180° class E _A
130A08-I-B1	UTP modul Cat.5e white
130A10-29-I-B1	UTP modul 8(8) Cat.6 black
130A10-I-B1	UTP modul 8(8) Cat.6 white
130A11-29KI	UTP modul 8(8) Cat.6 _A keystone black
130A11KI	UTP modul 8(8) Cat.6 _A keystone white
130B21-E	C6 _A modul K 180° jack - Keystone style
130B22-E	C6 _A modul K 270° jack - Keystone style
816979-0105-I	Dust protection covers for Modul patch panels subway / REG yellow
816979-0106-I	Dust protection covers for Modul patch panels subway / REG blue
816979-0107-I	Dust protection covers for Modul patch panels subway / REG green
816979-0108-I	Dust protection covers for Modul patch panels subway / REG red
899011-01	Label sheet for Modul patch panels / REG

P | Cabling

Data sheet

Page 5/5

Keystone REGplus IP20 light gray unequipped

P/N

1309428103-E

EAN 4250184161516

2021/03/17

Version: N

Illustrations

Dimensional drawing

