# 4-2337815-5 ACTIVE

#### Mini-SAS HD

TE Internal #: 4-2337815-5

Mini-SAS HD Cable Assembly, 16 Positions, 13.12 ft [4 m], 12 Gb/s, Shielded, 26 AWG, .128 mm², Round Jacketed Twinax, Mini-SAS

HD Plug

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies



Cable Assembly Type: Mini-SAS HD

Wire Size: .128 mm²

Shielded: Yes

Cable Assembly Length: 4 m [ 13.12 ft ]

## **Features**

## **Product Type Features**

Product Type	Cable Assembly
Cable Assembly Category	High Speed
Cable Assembly Type	Mini-SAS HD
Connector Type (End A)	Mini-SAS HD Plug
Connector Type (End B)	Mini-SAS HD Plug
Cable Style	Round Jacketed Twinax
Configuration Features	
Configuration Features  Number of Positions	16
	16
Number of Positions	
Number of Positions  Number of Pairs	8
Number of Positions  Number of Pairs  Number of Signal Positions	8

12 Gb/s

Signal Characteristics

Data Rate



#### **Body Features**

Cable Flammability Rating	CL2
Dimensions	
Wire Size	.128 mm²
Operation/Application	
Shielded	Yes
Halogen Free	No
Other	
Cable Assembly Length	4 m[13.12 ft]

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts









## Also in the Series | Mini-SAS HD









Pluggable I/O Cable Assemblies(18)

SATA & Micro SATA(1)

## Customers Also Bought















## **Documents**

**Product Drawings** 

MINISAS HD TO MINISAS HD,26AWG,4M

English

**CAD Files** 

3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_4-2337815-5\_A1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-2337815-5\_A1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4-2337815-5\_A1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

English

**Product Specification** 

English