DTS26Z19-35AD [V001] - ACTIVE

DEUTSCH | DEUTSCH 38999 Series III

TE Internal #: YDTS26Z19-35ADV001

Standard Circular Connectors, Cable-to-Panel, 66 Position,

Sealable, Wire & Cable, Signal, Panel Mount, Black Zinc Nickel,

DEUTSCH 38999 Series III

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors > D38999: Straight Plug, 19-35 Insert



Connector System: Cable-to-Panel

Number of Positions: 66

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 5 A

All D38999: Straight Plug, 19-35 Insert (60)

Features

Product Type Features

| Product Type | Connector |
|-----------------------------------|----------------|
| Connector System | Cable-to-Panel |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |
| Circular Connector Type | Plug |
| Shell Type | Straight Plug |
| Configuration Features | |
| Number of Positions | 66 |
| Number of Power Positions | O |
| Number of Signal Positions | 66 |
| Contacts Preloaded | No |

Black Zinc Nickel

Aluminum 6061-T6

No

Hard Dielectric/Silicone

Body Features

Shell Plating Material

Shell Base Material

Hermetically Sealed

Circular Connector Insulation Material Type



Contact Features

| Contact Current Rating (Max) | 5 A |
|---------------------------------|----------|
| Reverse Gender | No |
| Contact Layout Arrangement | 19 – 35 |
| Circular Connector Contact Type | Less Pin |

Mechanical Attachment

| | Connector Mounting Type | Panel Mount |
|-----------------------------|-------------------------|-------------|
| Polarization Code D | Polarization Code | D |
| Mating Alignment Type Keyed | Mating Alignment Type | Keyed |
| Mating Retention With | Mating Retention | With |

Housing Features

| Circular Connector Shell Size | 19 |
|-------------------------------|----------|
| Alignment Keyed | Clocking |

Dimensions

Usage Conditions

| Operating Temperature Range | -65 – 200 °C[-85 – 392 °F] |
|-----------------------------|----------------------------|

Operation/Application

| Circuit Application | Signal |
|---------------------|--------|
| Shielded | Yes |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU REACH Regulation (EC) No. 1907/2006 Current (224) Candida (223) SVHC > | nt ricted Materials Above Threshold |
|--|--|
| EU REACH Regulation (EC) No. 1907/2006 Current (224) Candida (223) SVHC > | icted Materials Above Threshold |
| (224) Candida (223) SVHC > | |
| Insert su Article Safe Usag Wash thoroughl | te List Declared Against: JAN 2022 Threshold: thylcyclopentasiloxane (D5) (5% in bassembly) ge Statements: y after handling. Recycle if possible and dispose of the article by licable governmental regulations relevant to your geographic |

Standard Circular Connectors, Cable-to-Panel, 66 Position, Sealable, Wire & Cable, Signal, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III



Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # YDTS20Z19-35BDV001 RECP ASSY



Also in the Series | DEUTSCH 38999 Series III



Customers Also Bought









Standard Circular Connectors, Cable-to-Panel, 66 Position, Sealable, Wire & Cable, Signal, Panel Mount, Black Zinc Nickel, DEUTSCH 38999 Series III













Documents

Product Drawings

PLUG ASSY

English

Datasheets & Catalog Pages

MIL-DTL-38999 Series III

English

DEUTSCH DTS Series Connectors for 38999 QRG

English