1-2308272-3 ACTIVE

Rail D-Sub Backshells

TE Internal #: 1-2308272-3

D-Sub Backshells & Clamps, Cable Clamp, Single or Dual Cable

Entry, Size 1, Shielded, Cable Exit Angle 180°, Wire & Cable, Rail D-

Sub Backshells

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Accessories > D-Sub Backshells & Clamps > Cable Clamp for Size 1-3 STD/1-4 QL Shell











D-Shaped Connector Accessories: Cable Clamp

Cable Clamp Type: Single or Dual Cable Entry
Compatible With Connector Shell Size: 1

Shielded: Yes

Cable Exit Angle: 180°

All Cable Clamp for Size 1-3 STD/1-4 QL Shell (8)

Features

Product Type Features

Clam Shell Length	Standard
Grommets	Without
Slide Latch	Without
Product Type	Backshell/Cable Clamp
D-Shaped Connector Accessories	Cable Clamp
Connector & Contact Terminates To	Wire & Cable

Body Features

Cable Clamp Material	Zinc Alloy
Backshell Material	Zinc
Cable Clamp Type	Single or Dual Cable Entry
Cable Exit Angle	180°

Mechanical Attachment



Screw & Hole Thread Size	None
Usage Conditions	
Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
Operation/Application	
Compatible With Connector Shell Size	1
Shielded	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (3.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | Rail D-Sub Backshells



Customers Also Bought



Documents

Product Drawings
CABLE CLAMP3 (CASE RAW)

English

CAD Files

3D PDF

3D

D-Sub Backshells & Clamps, Cable Clamp, Single or Dual Cable Entry, Size 1, Shielded, Cable Exit Angle 180°, Wire & Cable, Rail D-Sub Backshells



Customer View Model

ENG_CVM_CVM_1-2308272-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2308272-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2308272-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English