

MSDS Report MSDS 报告

Applicant's name 委托方名称	Dongguan Zhenghui New Energy Co., LTD. 东莞市正辉新能源有限公司
Applicant's Address 委托方地址	G Building, Feng Zhi Mei Industrial Park, Huang Dong Section, Jin Feng Huang Road, Feng Gang Town, DongGuan City, China. 东莞市凤岗镇金凤凰大道黄洞段凤芝美工业区 G 栋
Name of Sample 样品名称	Lithium-ion Polymer Battery Pack 锂离子聚合物电池组
Model 型号	753496
Nominal Voltage 标称电压	7.4V
Rated Capacity 额定容量	2200mAh, 16.28Wh
Weight 重量	172.0g
Size 尺寸 (L×W×T)	(106.0×15.5×35.0)mm
_	Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司
Prepared By 编制单位	2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、2201
Report No. 报告编号	TCT220412M037

Written by 编写: Mollie WU 美物价

Inspected by 审核: ________

Approved by 批准:

Date 日期:

Report No.报告编号: TCT220412M037

This report shall not be reproduced except in full, without the written approval of Shenzhen TCT Testing Technology Co., Ltd.



Material Safety Data Sheet 化学品安全技术说明书

Section 1- Chemical 第一部分 化学品及企	Product & Company Ide 企业标识	entification	
Name of Sample 样品名称	Lithium-ion Polymer Battery Pad 锂离子聚合物电池组	ck C	
Manufacturer's name 制造商名称	Dongguan Zhenghui New Energ 东莞市正辉新能源有限公司	gy Co., LTD.	
Manufacturer's Address 制造部地上	G Building, Feng Zhi Mei Indust Road, Feng Gang Town, DongO 东莞市凤岗镇金凤凰大道黄洞段	Guan City, China.	tion, Jin Feng Huang
Contact Person 联系人	Ms. Wu 吴小姐		
Tel 电话	+86-769-82615287		
Fax 传真	+86-769-81155381		
Emergency Tel 应急电话	+86-769-82615287		
E-mail 邮箱	cindy@gpr-battery.com		

<u> </u>	/ D	(2)	12.	
Section 2- Hazai 第二部分 危险性				
Classification of Danger 危险类别	See section 14. 见第十四部分。			
Primary Route(s) of Exposure 浸入途径	Eye, skin contact, ingestion. 眼睛,皮肤接触,摄入。			
Health Hazard 健康危害	The batteries are not hazard manufacturer under normal of fire, heat, leakage of internal including but not limited to th put into fire, whacked with habroken. 正常条件下根据制造商的说明作起火、发烫、内部成分泄漏的危限于下列情况:长时间充电、短	conditions. In case of abut components, which coust the following cases: charge and object, punctured with 使用电池不会产生危害。使 危险,并可能造成意外损失	use, there's Hazard of r ld cause casualty loss. ed for long time, short of a acute object, crushed 用不当的情况下,有破察 。使用不当的行为包括但	Abuses circuited, , and

Report No.: TCT220412M037 Hotline: 400-6611-140 Page 2 of 10

Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Section 3- Composition/Information on Ingredients 第三部分 成分/组成信息 Concentration or Chemical Name CAS Number concentration ranges (%) CAS 身化学文摘家是图记号 化学名称 浓熨浓熨涸(%) Lithium Cobalt Oxide 15-40 12190-79-3 钴酸锂 Graphite 10-30 7782-42-5 石墨 Phosphate(1-), hexafluoro-, lithium 10-30 21324-40-3 六氟磷酸锂 Copper 7-13 7440-50-8 Aluminum foil 5-10 7429-90-5 铝箔 Nickel 1-5 7440-02-0 镍

Labeling according to EC directives.

标签根据 EC 指令。

No symbol and Hazard phrase are required.

不需要象形符号和危险短语。

Note: CAS number is Chemical Abstract Service Registry Number.

注意: CAS 号是化学文摘服务注册号码。

N/A=Not apply. N/A=不适用。



第四部分	→ N. 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
<i>→</i>	

	第四部分 急救措施	
and lower eyelids. Get medical aid.		万一接触,立即用大量的清水冲洗至少 15 分钟,翻起上下眼睑,直到化学的残留物
Skin 皮肤Remove contaminated clothes and rinse skin with plenty of water or shower for 1 minutes. Get medical aid. 万一接触,用大量水冲洗至少 15 分钟,同时除去污染的衣物和鞋子,迅速就医。		
InhalationRemove from exposure and move to fresh air immediately. Use oxygen if availa吸入立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。		
medical attenti		Ingesting damaged batteries, do not induce vomiting or give food or drink. Seek medical attention immediately. 食入损坏的电池,不要催吐且不要再吃下食物或喝饮料,立刻就医。







Report No.: TCT220412M037 Page 3 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Section 5- Fire F 第五部分 消防措	
Characteristics of Hazard 危险特性	Dusts at sufficient concentrations can form explosive mixtures with air. Combustion generates toxic fumes. 高密度粉尘遇空气会形成爆炸性混合物。燃烧生成有毒烟雾。
Hazardous Combustion Products 燃烧工的促动	Carbon dioxide. 二氧化碳。
Fire-extinguishing Methods and Extinguishing Media 天人方法及及於以	For small fires, use water spray, dry chemical, carbon dioxide or chemical foam. 对于小型火险,可使用水枪,干冰(也就是液态二氧化碳)或化学泡沫。
Attention in Fire-extinguishing 灭处注意事项	Wear self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 因为压强关系,要穿戴可呼吸式全身防护装备,MSHA/NIOSH(经认证或等效的),以及佩戴全套防护装置。

			M.
Section 6- Accidental Release Mea 第六部分 泄露应急处理	asures	V	
	Avoid cor adequate	of rupture. Attention! Corrosive material. Intact with skin, eyes and clothing. Ensure expentilation. Use personal protective int as required. Evacuate personnel to safe	
Personal Precautions, protective equipment, and emergency procedures	areas. Ke	eep people away from and upwind of . Refer to protective measures listed in	
	服。确保的撤离到安全	注意!腐蚀性物质。避免接触皮肤,眼睛或 衣空气流通。根据需要使用个人防护装备。将 人员全区域。让人们远离溢出/泄漏处和处于逆风。 部分和第八部分中列出的防护措施。	î Į
Environmental Precautions 环境保护措施	entering s	product from contaminating soil and from sewers or waterways. 亏染土壤和进入下水道或水道。	
Methods and materials for Containment <i>済掛林</i> 推制	liquid with immediate 出于安全,	leak if safe to do so. Contain the spilled h dry sand or earth. Clean up spills tely. 阻止泄漏,可以用干砂或泥土来遏制液体溢青理溢出物。	6
Methods and materials for cleaning up 清野方法咻料	sand or e an accept contamina directions detergent	pilled material with an inert absorbent (dry earth). Scoop contaminated absorbent into stable waste container. Collect all sated absorbent and dispose of according to s in Section 13. Scrub the area with t and water; collect all contaminated wash proper disposal.	,

Page 4 of 10 http://www.tct-lab.com Report No.: TCT220412M037 Hotline: 400-6611-140 Tel: 86-755-27673339

Fax: 86-755-27673332



用惰性吸收剂(干砂或泥土) 吸收溢出的材料。污染物转移到可接受的废物容器中。收集所有受污染的吸收剂,按照第十三部分的说明进行处理。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水,妥善处理。

Section 7- Handling and 第七部分 操作处置与储	
Handling 操作	The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。禁止短路或将电池正负极错误的安装在设备中。
Storage 储存	Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children. 储藏于阴凉,干燥,通风处,远离接触会发生反应的材料。存
	储锁定。放在儿童无法接触的地方。
Other Precautions 其他要注意的访问普施	In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. 万一破裂。按照良好的工业卫生和安全规范进行操作。 避免接触皮肤,眼睛或衣服。使用个人防护设备。

Section 8 - Exposure Controls/Pe 第八部分 接触控制和个体防护	rsonal Protection
Engineering Controls 工程第	Use adequate ventilation to keep airborne concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m³ respirable fraction (10mg/m³ total) should be observed. 保证空气流通使空气密度保持在低水平。如果在会生成微粒的情况下使用,应仔细观察 3mg/m³ ACGIH TLV-TWA 3 的吸入量(总量为 10mg/m³)。
	Eye and Face Protection: None required for consumer use. If there is a Hazard of contact: Tight sealing safety goggles. Face protection shield. 眼睛和脸部保护: 消费者无需使用。如果有接触危险:密封安全护目镜。面部防护罩。
Personal Protective Equipment 个人防护设备	Skin and Body Protection: None required for consumer use. If there is a Hazard of contact: Wear protective gloves and protective clothing. 皮肤和身体防护: 消费者无需使用。如果有接触危险: 穿戴防护手套和防护服。
	Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced.

Report No.: TCT220412M037 Page 5 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



ventilation and evacuation may be required.

呼吸系统防护: 正常使用条件下不需要防护设备。如果 超过暴露限值或发生刺激,可能需要通风和疏散。

Section 9- Physical and Chemical Properties

第九部分 理化特性

Appearance: Prismatic

外形: 棱柱形

Physical State 物理狀态

Color: Black 颜色: 黑色

Odour: If leaking, smells of medical ether.

气味: 泄漏时, 医用乙醚的气味。

Change in condition:

变的条件:

pH 酸碱度	Not applicable as supplied. 不适用。	
Flash Point 闪点	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Flammability 易燃度 Relative density: 相对密度	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。 Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	
Solubility (water) 溶解性(水溶性) Solubility (other) 溶解性(其他)	Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。 Not applicable unless individual components exposed. 除非单个的组件暴露,否则不适用。	

Section 10 – Stability and Reactivity	
第十部分 稳定性和反应性	
Chemical Stability	Stable under recommended storage conditions.
化学稳定性	在推荐的储存条件下可以保持稳定。
Possibility of Hazardous Reactions	None under normal processing.
<i>危险反应的</i> 可能生	正常处理下没有。
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
应避的条件	暴露在空气中或长时间受潮。
Incompatible materials	Acids, Oxidizing agents, Bases.
不相容材料	酸,氧化剂,碱。
Hazardous Decomposition Products	Carbon oxides.
有危害分解物	二氧化碳。

Report No.: TCT220412M037 Page 6 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



	Matarial Cafaty Data Chant
Section 11 – Toxicological Information 第十一部分 毒理学信息	
Irritation 刺激	In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下,蒸汽烟雾可能对眼睛和皮肤的 刺激
Sensitization 致敏	性。 Not Available. 不适用。
Reproductive Toxicity 再生毒性	Not Available. 不适用。
Toxicologically Synergistic Materials 协同株海里学	Not Available. 不适用。

Section 12-Ecological Information						
	第十二部分 生态学信息					
(a ()	General note: 通用信息:			Do not allow undiluted producto reach ground water, water system.		
	WIII I I I I I I I I I I I I I I I I I			不允许未稀释或大量的产品接触 系统。	地下水、水道或污水处 理	
		vior of a chemical possible environment y		Not Available。 不适用。		
	化学品和第可能 毒性	的环境频射的行为的一	种生态			

Section 13 – Disposal Considerations 第十三部分 废弃处置		
Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。	
Attention for Waste Treatment 废剂注意事项	Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling.	
	废电池不能被当作普通垃圾。不能扔进火中或置于高温下。不能解体,刺穿,破碎或类似的处理。最好的 处理办法是回收利用。	

Report No.: TCT220412M037 Page 7 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



	Material Safety Data Sfieet			
Section 14 – Transport Information				
第十四部分 运输信息				
UN number 联路数编号 (UN 编号)	3480			
Proper shipping name 运输专用名称	Lithium ion batteries (limited to a maximum of 30% SoC) 锂离子电池(荷电状态不得超过其额定容量的 30%)			
Label(s) / Placard Required 标签标牌要求	Miscellaneous Lithium batt 杂项锂电池			
	ser needs to be aware of, or needs to comply with, in onveyance either within or outside their premises. 指需要注意或學形物和描述			
ICAO / IATA: 国际民间航空组织/国际航空运输协会:	Can be shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DGR Packing Instructions (PI) 965 Section IB appropriate of IATA DGR 63 rd (2022 Edition) for transportation. 可根据民用航空组织(ICAO),TI 或国际航空运输协会(IATA),DGR 63 rd (2022 版)包装说明(PI) 965 Section IB 相关规定进行空运。			
IMDG CODE: 国际海运危险货物规则:	The batteries are not restricted to IMDG Code 2020 Edition (Amdt 40-20) according to special provision 188. 根据特殊规定 188,该电池不受 IMDG Code 2020 版(Amdt 40-20)限制。			
DOT: 美国运输部:	Other requirements for the US Department of Transportation (DOT) Subchapter C, Hazardous Materials Regulations if shipped in compliance with 49 CFR 173.185. 美国运输部(DOT)有害物质规则 C 分章中的其他规定,运输符合要求 49 CFR 173.185。			
ADR/ ADN: 欧洲国际陆运危险货物协定/关于内陆 水道国际运输危险货物的欧洲协定:	The batteries are not subject to the provisions of United Nations Economic Commission for Europe (UNECE) ADR/ADN if they meet the requirements of special provision 188 of Chapter 3.3. Applicable as from 1 January 2021. 自 2021 年 1 月 1 日起适用于联合国欧洲经济委员会(UNECE)ADR / ADN,如果电池符合第 3.3 章第 188 条的特殊要求,则电池不受限制。			
In addition to be permitted in transport each lithium cell and bettery types must have passed the applicable				

In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria.

此外,每个锂电芯和电池类型都必须通过联合国《关于危险货物运输的建议书 试验和标准手册》第 38.3 节规定的适用测试。















Report No.: TCT220412M037 Page 8 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Section 15 - Regulatory Information

第十五部分 法规信息

Dangerous Goods Regulations

《危险物品规则》

Recommendations on the Transport of Dangerous Goods-Model Regulations (21st revised edition)

联合国《关于危险货物运输的建议书规章范本》(21st修订版)

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA)

《国际航空运输协会》(IATA)

International Maritime Dangerous Goods (IMDG Code 2020 Edition Amdt 40-20)

《国际海运危险货物规则》(IMDG Code 2020 版 Amdt 40-20)

Technical Instructions for the Safe Transport of Dangerous Goods

《危险货物安全运输技术指南》

Classification and code of dangerous goods (GB 6944-2012)

《危险货物分类和品名编号》- GB 6944-2012

2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2012《职业安全与健康标准》危险通信标准(29 CFR 1910.1200)

Toxic Substance Control Act (TSCA)

《有毒物质控制法》 (TSCA)

Code of Federal Regulations

《联邦条例》

In accordance with all Federal, State and local laws

符合所有联邦、州和地方法律













Matorial Safoty Data Shoot







Report No.: TCT220412M037 Page 9 of 10 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Section 16 - Additional Information

第十六部分 其他信息

MSDS creation date: 2022 Version: 1.0

Sample photo 样品照片:



To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

本份 MSDS 中的信息只是基于我们当前所拥有的相关材料的信息而编制的,只是为了描述本品的健康、安全与环境需求,以使各有关方面能更好地了解和信任本产品。这些信息只是提供给您,以供考虑、研究和确认。其中的一些危害预防措施描述并非是唯一的。所以本份 MSDS 不能作为使用本品实现任何特定目的的保证。各有关使用者有责任预先完成本品的安全性及其他方面的测试,以评判其是否满足您的使用目的。

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

本文所包含的数据/信息已经过审核和批准,但本文档不包含出口管制信息。
























Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司

2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、2201

Report Search Number 报告查询编号: TCT220412M037

Search System 查询系统: http://www.tct-lab.com

Page 10 of 10 第 10 页共 10 页