SIEMENS

Data sheet

3LD9280-2C




Neutral conductor/PE terminal, continuous, for floor mounting, for 100 A and 125 A, accessory for main and emergency switching-off switch 3LD2

Model		
product brand name	SENTRON	
product designation	Neutral conductor/PE terminal	
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches	
AWG number as coded connectable conductor cross section		
• minimum	12	
• maximum	1	
type of connectable conductor cross-sections for main contacts		
 finely stranded with core end processing 	1x (450 mm²)	
 solid or stranded 	1x (435 mm²)	
General Product Approval		Test Certificates
		Special Test Certific- ate



Further information
Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business
Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).
Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9280-2C
Service&Support (Manuals, Certificates, Characteristics, FAQs,)
https://support.industry.siemens.com/cs/ww/en/ps/3LD9280-2C
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams,)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9280-2C
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications

ccc



last modified:

7/30/2022 🖸