



ATC6300 protective seal accessory for ATC6300 for front-side IP65 protection; 144 x 144 mm contains 1 unit

Model			
product brand name		SENTRON	
product designation		Accessories for transfer control device	
design of the product		ATC6300 protective seal	
General technical data			
operating temperature			
• minimum		-20 °C	
• maximum		60 °C	
Product details			
product feature of enclosure material		Silicone rubber SH40	
Mechanical Design			
height		140.5 mm	
width		140.5 mm	
depth		8.2 mm	
net weight		9 g	
Environmental conditions			
relative humidity reference value		80 %	
ambient temperature during storage			
• minimum		-30 °C	
• maximum		80 °C	
General Product Approval		Declaration of Conformity	other

[Confirmation](#)

[Miscellaneous](#)



[Miscellaneous](#)

other

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9000-8TL67>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KC9000-8TL67>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9000-8TL67

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/19/2020 

