


ATC6500 sealing gasket, accessory for ATC6500, for frontside IP65 sealing, 180x240 mm, contains 1 piece



Model		
product brand name	SENTRON	
product designation	Accessories for transfer control device	
design of the product	ATC6500 protective seal	
General technical data		
operating temperature		
• minimum	-20 °C	
• maximum	60 °C	
Product details		
product feature of enclosure material	Silicone rubber SH40	
Mechanical Design		
height	175.8 mm	
width	235.8 mm	
depth	5.5 mm	
net weight	15 g	
Environmental conditions		
relative humidity reference value	80 %	
ambient temperature during storage		
• minimum	-30 °C	
• maximum	80 °C	
General Product Approval		Declaration of Conformity
		other

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other

[Miscellaneous](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9000-8TL68>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KC9000-8TL68>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9000-8TL68

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/19/2020 

