SIEMENS

Data sheet 3RW5924-0PY05

PCB 600 V for 3RW52, Size 4



Figure similar

product designation	Printed	d circuit board	
design of the product	600 V		
manufacturer's article number			
of soft starter	3RW5	<u>24C.5</u>	
Substance Prohibitance (Date)	02/15/	2018	
Ambient conditions			
ambient temperature during storage	-40	+80 °C	
Certificates/ approvals			
	For use in hazard-		

General Product Approval

For use in hazardous locations

Declaration of Conformity

Test Certificates

Confirmation



Explosion Protection
Certificate





Type Test Certificates/Test Report

Marine / Shipping











Confirmation

other

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5924-0PY05

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5924-0PY05

 $Service \& Support \ (Manuals, \ Certificates, \ Characteristics, \ FAQs, ...)$

 $\underline{https://support.industry.siemens.com/cs/ww/en/ps/3RW5924-0PY05}$

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5924-0PY05&lang=en

Characteristic: Installation altitude

ulation Tool for Soft Starters (STS) ://support.industry.siemens.com/cs/ww/en/view/101494917						
t modified:	1/18/2	2021 🗗				