

compact Pin Busbar, 10mm<sup>2</sup> connection: 1p/ N (FI N-left) 1x RCCB 2-pole + 10x compact device 1 MW touch protected N-left 12 MW cuttable



Model	
product brand name	SENTRON
product designation	Pin busbar
design of the product	10 mm <sup>2</sup> , 1p+N, 12MW, RCCB N-Links 1p+N + 10x compact, can be cut
General technical data	
phase number	1
cross-section	10 mm <sup>2</sup>
operating voltage rated value maximum	230 V
Main circuit	
operational current rated value	63 A
Suitability	
<b>suitability for interaction</b>	
• devices with auxiliary switch	No
• devices with N conductor	Yes
Product details	
product feature insulated	Yes
Number	
number of devices suitable for fitting	11
Connections	
type of electrical connection	Pin
Mechanical Design	
height	13.7 mm
width	42.4 mm
length	215 mm
net weight	106 g
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other	Environment
-------	-------------

[Miscellaneous](#)

[Environmental Confirmations](#)

## Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3784-0KL>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3784-0KL>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3784-0KL](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3784-0KL)


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





---

last modified:

7/9/2021 