

Pin Busbar, 10mm² connection: 3p (RCCB N-right) 1x RCCB 4-pole + 6x MCB 1-pole touch protected 10 MW fixed length

Model		
product brand name	SENTRON	
product designation	Pin busbar	
design of the product	10 mm², 3p, RCCB N right 3p+N, 6x MCB 1-p, without neutral, cannot be cut	
General technical data		
phase number	3	
cross-section	10 mm²	
operating voltage rated value maximum	400 V	
Main circuit		
operational current rated value	63 A	
Suitability		
suitability for interaction		
• devices with auxiliary switch	No	
• devices with N conductor	No	
Product details		
product feature insulated	Yes	
Number		
number of devices suitable for fitting	7	
Connections		
type of electrical connection	Pin	
Mechanical Design		
module width	18 mm	
height	15.2 mm	
width	8.6 mm	
length	176 mm	
General Product Approval		other
Declaration of Conformity		

[Confirmation](#)

[Miscellaneous](#)



EG-Konf.



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3624-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3624-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3624-1

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

3/8/2022 

