SIEMENS

Data sheet 3RQ3901-0B

Connecting comb 4-pole



product brand name	SIRIUS			
product category	Connecting combs			
product designation	Connecting comb			
design of the product	For linking the same potentials, current carrying capacity for infeed max. 6 A/4-pole			
General technical data				
display version LED	No			
product component				
semi-conductor output	No			
flammability class of enclosure material	UL94	V-0		
reference code according to IEC 81346-2	Χ			
Substance Prohibitance (Date)	03/25	/2015		
product component plug-in socket	No			
Connections/ Terminals				
product function removable terminal	No			
Installation/ mounting/ dimensions				
height	3.3 mm			
width	25 mm			
depth	11 mm			
Ambient conditions				
ambient temperature				
during operation	-25	-25 +60 °C		
during storage	-40 +85 °C			
during transport	-40 +85 °C			
Certificates/ approvals				
General Product Approval		Declaration of Conformity	Marine / Shipping	



Confirmation









other

Confirmation

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RQ3901-0B

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RQ3901-0B

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


https://support.industry.siemens.com/cs/ww/en/ps/3RQ3901-0B

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RQ3901-0B&lang=en

Characteristic: Derating

https://support.industry.siemens.com/cs/ww/en/ps/3RQ3901-0B/manual



last modified:

5/6/2021