

Connecting comb 16-pole



| | |
|-----------------------|--|
| product brand name | SIRIUS |
| product category | Connecting combs |
| product designation | Connecting comb |
| design of the product | For linking the same potentials, current carrying capacity for infeed max. 6 A/16-pole |

General technical data

| | |
|--|------------|
| display version LED | No |
| product component | |
| • semi-conductor output | No |
| flammability class of enclosure material | UL94 V-0 |
| reference code according to IEC 81346-2 | X |
| Substance Prohibition (Date) | 03/25/2015 |
| product component plug-in socket | No |

Connections/ Terminals

| | |
|-------------------------------------|----|
| product function removable terminal | No |
|-------------------------------------|----|

Installation/ mounting/ dimensions

| | |
|--------|--------|
| height | 3.3 mm |
| width | 99 mm |
| depth | 11 mm |

Ambient conditions

| | |
|---------------------|----------------|
| ambient temperature | |
| • during operation | -25 ... +60 °C |
| • during storage | -40 ... +85 °C |
| • during transport | -40 ... +85 °C |

Certificates/ approvals

| | | |
|--------------------------|---------------------------|-------------------|
| General Product Approval | Declaration of Conformity | Marine / Shipping |
|--------------------------|---------------------------|-------------------|



[Confirmation](#)



other

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RQ3901-0D>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RQ3901-0D>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<https://support.industry.siemens.com/cs/ww/en/ps/3RQ3901-0D>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RQ3901-0D&lang=en

Characteristic: Derating

<https://support.industry.siemens.com/cs/ww/en/ps/3RQ3901-0D/manual>



last modified:

5/6/2021 