

Accessory 3WA/3WL Shunt trip (ST) 5% OP, 208-240 V AC / 220-250 V DC momentary duty, with cut-off switch, not for continuous duty

Model	
product brand name	SENTRON
product designation	shunt release
design of the product	shunt release (ST) 5% OP, 208 to 240 V AC / 220 to 250 V DC for momentary duty, with cut-off switch, no continuous duty possible
closing apparent power [VA]	250 VA
closing active power [W]	250 W
minimum command time at $U_s = 100\%$	60 ms
opening time of circuit breaker at $U_s = 100\%$	50 ms
control supply voltage (U_s) at AC rated value	208 to 240 V 50/60 Hz
design of the DIAZED fuse link gG/miniature circuit breaker with tripping characteristic class C 5% for short-circuit protection minimum permissible	2 A
ambient temperature during operation	<ul style="list-style-type: none"> • minimum -40 °C • maximum 70 °C
ambient temperature during storage	<ul style="list-style-type: none"> • minimum -40 °C • maximum 80 °C
<div>General Product Approval</div> <div>EMC</div> <div>Declaration of Conformity</div> <div>Test Certificates</div>	

[Confirmation](#)



EG-Konf.



[Special Test Certificate](#)

Test Certificates	Marine / Shipping	other
-------------------	-------------------	-------

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)



LRS

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-0AD26>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-0AD26>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-0AD26

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

2/8/2023 

