



SHUNT TRIP FLEXIBLE 24 V AC 50/60 HZ ACCESSORY FOR 3VA4 and 3VA51 up to 3VA54 and 3VA61 up to 3VA64

| Model | |
|--|-------------------|
| product brand name | SENTRON |
| product designation | Accessories |
| design of the product | auxiliary release |
| accessories | Auxiliary release |
| General technical data | |
| degree of pollution | 3 |
| overvoltage category | III |
| apparent power consumption / maximum | 340 VA |
| Voltage | |
| surge voltage resistance | 4 kV |
| Mechanical Design | |
| height | 65.1 mm |
| width | 21.7 mm |
| number of slots | 3 |
| depth | 31.2 mm |
| net weight | 91 g |
| tightening torque / with screw-type terminals / minimum | 0.4 N·m |
| tightening torque / with screw-type terminals / maximum | 0.5 N·m |
| Connections according IEC | |
| stripped length | 10 mm |
| AWG number / as coded connectable conductor cross section / for auxiliary contacts | |
| • minimum | 20 |
| • maximum | 16 |
| Connections according UL | |
| stripped length [in] | 0.4 in |
| tightening torque [lbf·in] / with screw-type terminals / minimum | 3.5 lbf·in |
| tightening torque [lbf·in] / with screw-type terminals / maximum | 4.4 lbf·in |
| Further information | |

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)


<http://www.siemens.com/lowvoltage/catalogs>


Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9978-0BA20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9978-0BA20>





last modified:

4/20/2023 

