

Part Number: 1212070368

Product Description: mPm DIN Valve Connector, Form A-18mm, External Threads, 2 Pole Plus Ground with C4 Circuit, 24V, Amber LED, Nitrile Gasket, Bulk Pack,

Mounted

Series Number: 121207

Status: Active

Product Category: Circular Industrial

Connectors

Engineering Number: S28200TC4H2RSN



Documents & Resources

Tooling Specifications

Application Tooling Specification ATS-638170200-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per ED/30/2017 (7 July 2017)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Obsolete
Category	Application Tooling Accessories
Series	207129
Description	Manual Cable Cutter Hand Tool – 8 AWG to 4.80mm² (1000 MCM)
Comments	See Tooling Specification (PDF) Above
Function	Cutter
Geographic Area	Global
Keyword	Cable Cutter, Crimp, Discrete Wire Cutter, Electrical Wire Cutter, Hand ToolCable Cutter, Large Cable Cutter, Large Discrete Wire Cutter, Ratcheted Cable Cutter, Wire Cutter, Wire Cutter Tool
Level of Automation	Manual
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	N/A
Tool Type	Hand Wire Cutter
UPC	884982066397
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Net Weight	0.001/kg
------------	----------

This document was generated on Sep 26, 2023