

**PRODUCT**

# ESD Heel Strap with Clip



**FEATURES**

- Clip type with snap release - easy to wear and take off
- Double layered conductive cup (3.5mm x 230mm)
- Each heel grounder incorporates a 1 Meg Ohm safety resistor
- All heel grounders are designed for use in conjunction with ESD flooring
- Recommended to be worn on both feet
- Reusable and can be washed by hand in mild detergents
- Conforms to the requirements of ANSI/ESD S-20.20, EIA 625
- Hard wearing heel grounders designed for long term use

**NOTES**

The heel grounder must be tested from time to time using the footwear test station.

PRODUCT CODE	DESCRIPTION	SIZE	QUANTITY
068-0005	Heel Grounder with Clip	One Size	Each
068-0005F	Heel Grounder with Clip	One Size	Pair

To request a quotation or for more information, please call **+44 (0)1473 836200**  
email [info@antistat.co.uk](mailto:info@antistat.co.uk) or visit [www.antistat.co.uk](http://www.antistat.co.uk)

DETAILS	TYPICAL VALUE
Outer Conductive Surface (Black)	10 <sup>3</sup> - 10 <sup>5</sup> Ohms
Inner Anti-Static Surface (Grey)	10 <sup>7</sup> - 10 <sup>8</sup> Ohms
Conductive Tab (Blue)	10 <sup>3</sup> - 10 <sup>4</sup> Ohms
Overall Resistivity	10 <sup>6</sup> Ohms
Resistance	1Meg Resistor built in



**1** Remove Heel Grounder from its packaging and place the Black Conductive Rubber Strip on the heel grip of the shoe.



**2** Place the Black Elastic Strip at the back of the shoe.



**3** Push the Clip Fastener together to lock in place and pull the tail of the Black Elastic Strap to tighten.



**4** Feed the Grey Conductive Ribbon into the sock or shoe to complete the grounding path.




**5** Inspect the Heel grounder for a secure and comfortable fit by gently tugging on the straps.



**6** The footwear is now ready to be tested before entering a static sensitive area. Repeat with other shoe.

To request a quotation or for more information, please call **+44 (0)1473 836200**  
email [info@antistat.co.uk](mailto:info@antistat.co.uk) or visit [www.antistat.co.uk](http://www.antistat.co.uk)



To request a quotation or for more information, please call **+44 (0)1473 836200**  
email [info@antistat.co.uk](mailto:info@antistat.co.uk) or visit [www.antistat.co.uk](http://www.antistat.co.uk)