## 1.63.018.001/1402



# Signal lamp with lamp socket, BA 9s, 18.2 mm, round bezel, 250 Volt, bezel yellow, Flat quick-connect terminal 6.3 x 0.8 / 2 x 2.8 x 0.8 tin-plated



#### fields of application

- > Measurement-control-regulation
- > Electrical engineering
- > Mechanical and system engineering
- > Signalling systems
- > Model construction



## description

Signal lamps for LEDs or filament/neon lamps with BA 9 s socket, mounting hole diameter 18.2 mm

#### technical data

>	genera	
•	gonora	

Bezel color yellow
Property of bezel / mushroom transparent

Bezel shape round illuminated Yes
Lamp socket BA9s
Packaging unit 10 pcs.
net weight 13.2 g
Degree of protection, front side, IP65

according to DIN EN 60529

MOQ order 250 pcs.

RoHS compliant Yes

REACH compliant Yes

> mounting diameters

Outside dimension, length 22 mm
Outside dimension, width 22 mm
Outside dimension, height 61 mm
Mounting hole 18.2 mm
Mounting depth 47 mm
Installation height 14 mm
Collar dimension 22 mm

> mechanical data

Fixing Threaded ring

Solderability Yes

Terminal on the rear Flat quick-connect terminal 6.3 x 0.8 / 2 x 2.8 x 0.8

tin-plated

#### direct links

> RAFI eCatalog

The information in this data sheet only contains general descriptions and / or performance features, which may not apply precisely as described to the respective application, and which my change due to further product enhancements. The technical data, illustrations and other information about our products are the mere results of individual technical testing. These descriptions and other product features are only binding if they expressly agreed upon at the time of the conclusion of a binding contract. In all other cases, we reserve the right to make technical changes as well as changes of availability. Pictures and other graphic illustrations are approximations only. All product names may be trademarks or brand names of the RAFI Group or any other sub-supplier of RAFI. The use of such by any third parties for their own purposes may infringe the rights of the respective entity holding those rights.

date: Feb 28, 2024 page: 1/3

RAFI GmbH & Co. KG

## 1.63.018.001/1402



### > electrical data

Operating voltage of the luminous 250 V element, max.

# 1.63.018.001/1402



# drawings

## Mounting hole drawing

